AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communications, (PC) Poster Communications

AARONSON P.I., BOLTON T.B. & LANG R.J. Membrane currents in freshly-dispersed single smooth muscle cells of the rabbit ear artery. (C) 108*P*

ABBOT N. Joan, LARMET Y. & PICHON Y. A giant axon preparation for the study of periaxonal ion regulation *in situ*; the squid *Alloteuthis*. (PC) 164*P*

ABBOTT N. Joan Size of extracellular space in isolated brain of cuttlefish *Sepia* and squid *Alloteuthis*. (C) 57*P*

ADAMS D.J., TAKEDA K. & UMBACH J.A. Inhibitors of calcium buffering depress evoked transmitter release at the squid giant synapse. 145

ADAMS L., GUZ A., INNES J.A., MURPHY K. & SEMPLE S.J.G. Dynamics of the early ventilatory and circulatory responses to voluntary and electrically-induced exercise in man. (C) 142*P*

AGNISOLA C., FOTI L. & GENOINO I. Trara Effect of serotonin on the *in vitro* cardiac performance in *Octopus vulgaris*. (PC) 186*P*

AGOSTONI E. & CITTERIO G. Post-inspiratory diaphragm activity in rabbits after block of slowly adapting stretch receptors in all thoracic airways or in bronchi alone. (PC) 190*P*

AICKIN C. Claire The effect of Na^+ and $HCO3^-$ ions on recovery from an acid load in the smooth muscle of guinea-pig ureter. (C) 80*P*

AL-SHAMMA Y.M.H. & HAINSWORTH R. The cardiovascular responses to upright tilting and lower body negative pressure in man. (PC) 188*P*

ALLEN D.G. & SMITH G.L. Intracellular calcium in metabolically-depleted ferret ventricular muscle during exposure to cyanide and its removal. (C) 92*P*

ALMERS W. & NEHER E. Ca^{2+}-induced membrane capacity changes in rat peritoneal mast cells. (C) 95*P*

ALVAREZ J., GARCÍA-SANCHO J. & HERREROS B. Paradoxical effect of oligomycin on Ca-dependent ^{86}Rb transport in human red cell ghosts. (C) 113*P*

AMICI D., BRAMUCCI M., CODERONI S., GIANFRANCESCHI G.L., MACCARI E. & MIANO A. Homeostatic regulation of transcriptional process in mouse leukaemia cells by small chromatin peptides: molecular and cellular aspects. (C) 148*P*

ANDERSON Shelagh M.P., FILLENZ Marianne & STANFORD Clare The effect of chronic, mild stress on monoamine synthesis rate in rat cortical synaptosomes. (C) 68*P*

ANWYL R., LEE W.L. & ROWAN M. Effects of caffeine on transmitter release in CAI of the rat hippocampal slice. (PC) 167*P*

APPENTENG K., DONGA R. & WILLIAMS R.G. Morphological and electrophysiological determination of the projections of jaw-elevator muscle spindle afferents in rats. 93

APPENTENG K., GIRDLESTONE D. & HOLDEN A.V. Transsynaptic labelling of trigeminal interneurones by WGA-HRP in the rat. (C) 64*P*

ARGENT B.E. & ARKLE S. Mechanism of action of extracellular calcium on isoprenaline-evoked amylase secretion from isolated rat parotid glands. 337

ARKLE S. *see* ARGENT B.E. & ARKLE S. Mechanism of action of extracellular calcium on isoprenaline-evoked amylase secretion from isolated rat parotid glands. 337

ARLOCK P. & NOBLE D. Two components of 'second inward current' in ferret papillary muscle. (C) 88*P*

ASHCROFT Frances M., ASHCROFT S.J.H. & HARRISON Donna E. The glucose-sensitive potassium channel in rat pancreatic beta-cells is inhibited by intracellular ATP. (C) 101*P*

ASHCROFT S.J.H. *see* ASHCROFT Frances M., ASHCROFT S.J.H. & HARRISON Donna E. The glucose-sensitive potassium channel in rat pancreatic beta-cells is inhibited by intracellular ATP. (C) 101*P*

ASHLEY C.C., GODBER J.F., REYNOLDS G.T. & WALTON A. Single fura-2 loaded barnacle muscle fibres studied under voltage clamp using image intensification techniques. (D) 22*P*

ASHLEY C.C., CASTELL L.M., OSBORN C., PRITCHARD K. & RAINE A.E.G. Applications of fluorescent Ca^{2+} indicators for the measurement of cytoplasmic free Ca^{2+} concentrations in platelets and lymphocytes. (D) 23*P*

Ashley C.C., Griffiths P.J., Lea T.J. & Tregear R.T. Does inositol triphosphate induce tension development in skinned muscle fibres of barnacle and frog? (PC) 185*P*

Ashton J.A., Boddy A., Donaldson I.M.L. & Milleret C. Input from extraocular muscle afferents to the vestibular nuclear complex and the medullary reticular formation of the cat. (C) 46*P*

Aslam M., Jones M.T. & Nicholson S.A. Effect of repeated volleys of luteinizing hormone-releasing hormone (LHRH) on perifused rat pituitary glands removed on dioestrus or pro-oestrus. (C) 117*P*

Attwell D., Brew H. & Mobbs P. Electrophysiology of the Müller cell network in the isolated axolotl retina. (C) 33*P*

Azzaroni A., Cevolani D., Ferrari G. & Parmeggiani P.L. Thermosensitive neurones during sleep in cats. (C) 60*P*

Bagust J., Spencer P.M. & Wheal H.V. An automated system for the analysis of evoked extracellular potentials recorded from the hippocampus. (D) 7*P*

Bagust J. A dual-channel system for recording spike trains onto magnetic disks using the BBC microcomputer. (D) 13*P*

Baker Elizabeth M., Burgoyne R.D. & Cheek T.R. The effect of forskolin on catecholamine release and intracellular free calcium in bovine adrenal chromaffin cells. (C) 99*P*

Baker M., Bostock H., Brook G.A. & Love S. *Phoneutria* and *Leiurus* venoms induce spontaneous compound action potentials in rat spinal roots. (C) 63*P*

Baker M., Bostock H. & Grafe P. Accommodation in rat myelinated axons depends on two pharmacologically distinct types of potassium channel. (C) 102*P*

Baldini P., Incerpi S., Luly P. & Verna R. Insulin responsiveness of human erythrocyte plasma membrane. (C) 112*P*

Bannister R., da Costa D.F., Fosbraey P. & Mathias C.J. Exogenous insulin lowers blood pressure in autonomic failure. (C) 132*P*

Barker A.T., Freeston I.L., Jalinous R., Merton P.A. & Morton H.B. Magnetic stimulation of the human brain. (D) 3*P*

Barletta A., Goglia F., Lanni A. & Liverini G. Peroxisome and light mitochondrion biogenesis during cold adaptation. (PC) 193*P*

Barmack N.H., Draicchio F., Errico P., Ferraresi A. & Pettorossi V.E. Characteristics of the combination of the vestibulo- and cervico-ocular reflexes in the control of rabbit eye movements. (C) 47*P*

Barrett D.J., Bradley D.J. & Paton J.F.R. Afferent and efferent connexions of the uvula in the rabbit. (PC) 178*P*

Bartesaghi R. & Sperti L. Synaptic organization of the longitudinal association path of the guinea-pig hippocampus. (C) 54*P*

Basso Marisa, Gattullo Donatella, Losano G., Soardo G.P. & Vacca G. Observations on the non-linear elastic properties of the aortic wall in the anaesthetized rabbit. (C) 141*P*

Bauer Anthony J. & Sanders Kenton M. Gradient in excitation–contraction coupling in canine gastric antral circular muscle. 283

Baxendale R.H., Ferrell W.R. & Wood L. Intra-articular pressures during active and passive movement of normal and distended human knee joints. (PC) 179*P*

Belin V., Moos F. & Richard Ph. Synchronization and recruitment of paraventricular and supraoptic cells in suckled rats. (PC) 173*P*

Bell Patricia B., Browning C., Cohen R.D., Henderson R.M. & Iles R.A. Measurement of intracellular pH in rat kidney *in vivo* using micro-electrodes: effect of acetazolamide. (C) 75*P*

Benecke R., Day B.L., Dick J.P.R., Marsden C.D. & Rothwell J.C. Performance of various types of simultaneous movements in patients with Parkinson's disease. (C) 30*P*

Bennett J.A., Goodchild C.S., Kidd C. & McWilliam P.N. Neurones in the brain stem of the cat excited by vagal afferent fibres from the heart and lungs. 1

Bennett J.A., McWilliam P.N. & Shepheard S.L. The effects of γ-aminobutyric acid and bicuculline on neurones in the nucleus tractus solitarius of the cat activated following electrical stimulation of the aortic nerve. (C) 51*P*

Bennett T. & Gardiner S.M. Factors affecting the maintenance of blood pressure in Long Evans rats made hypovolaemic by subcutaneous injection of polyethylene glycol. (C) 124*P*

Bennett T., Gardiner S.M. & Hebden R.A. Factors influencing b.p. in rats with streptozotocin-induced diabetes mellitus. (C) 125*P*

BENOIT E. & DUBOIS J.M. Co-operative effects of tetrodotoxin on the myelinated nerve fibre of the frog *Rana esculenta*. (PC) (T) 197*P*

BERARDI N., GALLI L., MAFFEI L. & SILIPRANDI R. Binocular suppression in cat cortical neurones. (C) 38*P*

BERARDI N., BISTI S., MAFFEI L. & TACCHI A. Microperfusion of noradrenaline in the visual cortex restores cortical plasticity in adult cats. (PC) 171*P*

BERHE A., HARKES A. & SIBLEY C.P. Effect of molecular charge on guinea-pig placenta permeability: quantitative measurements using horseradish peroxidase (HRP). (C) 155*P*

BERLIN J.R., CANNELL M.B. & LEDERER W.J. Regulation of twitch tension in sheep cardiac Purkinje fibres in calcium overload conditions. (C) 82*P*

BERS D.M. & MACLEOD K.T. Cumulative extracellular Ca^{2+} depletions in ventricular muscle of rabbit heart. (C) 93*P*

BERTOLACCI L., MATTEOLI M. & PELLEGRINO M. Colchicine treatment is not equivalent to axotomy in inducing changes of excitability in the leech AP neurones. (PC) 162*P*

BICKNELL R.J., CAZALIS Monique, DAYANITHI G. & NORDMANN J.J. Calcium-dependence of hormone release from isolated neurohypophysial nerve endings (neurosecretosomes) of the rat. (PC) 166*P*

BISTI S. *see* BERARDI N., BISTI S., MAFFEI L. & TACCHI A. Microperfusion of noradrenaline in the visual cortex restores cortical plasticity in adult cats. (PC) 171*P*

BLAKEMORE Colin, LARKMAN Alan, MASON Adrian & WHEAL Howard V. Application of the *in vitro* brain slice technique to the visual cortex of the rat: intracellular recording and ultrastructural analysis. (D) 21*P*

BLAKEMORE Colin & HAWKEN Mike Contrast sensitivity of neurones in the lateral geniculate nucleus of the neonatal monkey. (C) 37*P*

BLAKEMORE Colin & ZUMBROICH Thomas J. Spatial frequency selectivity in the lateral suprasylvian areas (PMLS/PLLS) of the cat visual cortex. (C) 40*P*

BODDY A. *see* ASHTON J.A., BODDY A., DONALDSON I.M.L. & MILLERET C. Input from extraocular muscle afferents to the vestibular nuclear complex and the medullary reticular formation of the cat. (C) 46*P*

BOLDOG I., FALUDI Judit, HORTOBÁGYI T. & MIHÁLYFI P. Effects of strength training on MVC, e.m.g. activity, and shortening speed of the quadriceps in man. (PC) 181*P*

BOLTON T.B. *see* AARONSON P.I., BOLTON T.B. & LANG R.J. Membrane currents in freshly-dispersed single smooth muscle cells of the rabbit ear artery. (C) 108*P*

BOOTH C.M., BROWN M.C. & HARDMAN V.J. A simple model of motor nerve–muscle fibre interactions. (D) 2*P*

BOSTOCK H. *see* BAKER M., BOSTOCK H., BROOK G.A. & LOVE S. *Phoneutria* and *Leiurus* venoms induce spontaneous compound action potentials in rat spinal roots. (C) 63*P*

BOSTOCK H. *see* BAKER M., BOSTOCK H. & GRAFE P. Accommodation in rat myelinated axons depends on two pharmacologically distinct types of potassium channel. (C) 102*P*

BOTTÀ G., CREMASHI D., MEYER G., PALESTINI P. & ROSSETTI C. Use of different inhibitors to study the co-transport systems of sodium chloride in the apical membrane of rabbit gall-bladder epithelial cells. (PC) 182*P*

BOYD P.J., OSBORNE N.N. & WALKER R.J. Co-existence of 5-Hydroxytryptamine (5-HT) and a substance P-like peptide in nerve terminals in the heart of *Helix aspersa*, and the actions of 5-HT and substance P (SP) on cAMP production in the heart. (PC) 170*P*

BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Sodium transfer across the *in vitro* pig placenta; effect of adrenaline. (C) 156*P*

BOYER J.L., GRAF J. & HENDERSON R.M. Micro-electrode measurement of intracellular pH in isolated rat hepatocytes: inhibition of recovery from acidification by reduction of external sodium or by amiloride. (PC) 184*P*

BOYETT M.R., HART G., LEVI A.J. & ROBERTS A. Biphasic changes of intracellular Na^+ activity (a^i_{Na}) in isolated sheep and dog Purkinje fibres. (C) 86*P*

BRADLEY D.J., GHELARDUCCI B., PATON J.F.R. & SPYER K.M. Cardiovascular responses to stimulation of the posterior cerebellum in anaesthetized rabbits. (C) 130*P*

BRADLEY D.J. *see* BARRETT D.J., BRADLEY D.J. & PATON J.F.R. Afferent and efferent connexions of the uvula in the rabbit. (PC) 178*P*

BRAMUCCI M. *see* AMICI D., BRAMUCCI M., CODERONI S., GIANFRANCESCHI G.L., MACCARI E. & MIANO A. Homeostatic regulation of transcriptional process in mouse leukaemia cells by small chromatin peptides: molecular and cellular aspects. (C) 148*P*

BREMNER F.D. & STEPHENS J.A. Reflex responses in human forearm finger flexor and extensor muscles produced by digital nerve stimulation. (C) 31*P*

BRENAN A. & JONES Lynne Evidence of the regeneration of cutaneous polymodal nociceptor afferents following nerve crush in the rat. (C) 62*P*

BREW H. *see* ATTWELL D., BREW H. & MOBBS P. Electrophysiology of the Müller cell network in the isolated axolotl retina. (C) 33*P*

BRIGHENTI L., GAVIOLI M.E., OTTOLENGHI C. & PUVIANI A.C. Epinephrine effects on glycogen-phosphorylase activity in catfish liver. (C) 157*P*

BROCASRANDOLPH Mireille, FISCHMEISTER Rodolphe, LECHENE Patrick & VASSORT Guy A dual effect of cardiac glycosides on Ca current in frog ventricular myocytes. (C) 91*P*

BROOK G.A. *see* BAKER M., BOSTOCK H., BROOK G.A. & LOVE S. *Phoneutria* and *Leiurus* venoms induce spontaneous compound action potentials in rat spinal roots. (C) 63*P*

BROOKES S.J.H., EWART W.R. & WINGATE D.L. Intracellular recordings from the rat myenteric plexus *in vitro*. (C) 109*P*

BROWN A.D., STOCKLEY E. & WHEAL H.V. A program to aid the investigation of the branching properties of dendrites. (D) 5*P*

BROWN Hilary & WATERS L. The heart of the terrapin: a first-year teaching video with pen-recorder output. (D) 24*P*

BROWN M.C. *see* BOOTH C.M., BROWN M.C. & HARDMAN V.J. A simple model of motor nerve–muscle fibre interactions. (D) 2*P*

BROWNING C. *see* BELL Patricia B., BROWNING C., COHEN R.D., HENDERSON R.M. & ILES R.A. Measurement of intracellular pH in rat kidney *in vivo* using micro-electrodes: effect of acetazolamide. (C) 75*P*

BRUNELLI M., DEMONTIS G. & TRAINA G. Modulation of an electrogenic pump as a mechanism of synaptic plasticity in leech ganglia. (C) 110*P*

BUCHERELLI C. *see* LORENZINI C. Ambrogi, BUCHERELLI C. & GIACHETTI A. Effects of illumination and detention on the exploratory behaviour of the rat. (PC) 172*P*

BURGES J.C., GRIEVE K.L., MURPHY P.C. & SILLITO A.M. Iontophoretically applied bicuculline reveals excitatory responses from the non-dominant eye receptive fields of cells in the A laminae of the cat dorsal lateral geniculate nucleus (dLGN). (C) 36*P*

BURGOYNE R.D. *see* BAKER Elizabeth M., BURGOYNE R.D. & CHEEK T.R. The effect of forskolin on catecholamine release and intracellular free calcium in bovine adrenal chromaffin cells. (C) 99*P*

BURGUN C., GREENFIELD Susan A., WAKSMAN A. & WESTON Jane Differential effects of cholinergic agonists on acetylcholinesterase release from the rat substantia nigra *in vivo*. (C) 66*P*

BUTLER W.R., FIGUEROA J.P., FRANK D.A., GLEED R.D., NATHANIELSZ P.W. & POORE E.R. Myometrial electromyographic (e.m.g.) activity in the pregnant rhesus monkey following fetal surgery with or without maternal administration of the aromatase inhibitor 4-hydroxyandrostenedione (4-OHA). (PC) (T) 197*P*

CANNELL M.B. *see* BERLIN J.R., CANNELL M.B. & LEDERER W.J. Regulation of twitch tension in sheep cardiac Purkinje fibres in calcium overload conditions. (C) 82*P*

CANNELL M.B., EISNER D.A., LEDERER W.J. & VALDEOLMILLOS M. The effects of membrane potential on intracelluiar Ca concentration in voltage-clamped sheep cardiac Purkinje fibres in Na-free solutions. (C) 90*P*

CAPIOD T. & OGDEN D.C. Noise analysis of a α-adrenergic activated K-conductance in isolated guinea-pig hepatocytes. (C) 107*P*

CAPOGROSSI M.C., LAKATTA E.G. & SPURGEON H.A. Spontaneous sarcosplasmic reticulum Ca^{2+} release limits the effect of Ca^{2+} to enhance twitch shortening in rat cardiac myocytes. (C) 81*P*

CARDEN D., KULIKOWSKI J.J., MURRAY I.J. & PARRY N.R.A. Human occipital potentials evoked by the onset of equiluminant chromatic gratings. (C) 44*P*

CAREY F., HAWORTH D., RAYBOULD Helen E. & RUSSELL N.J.W. Pulmonary chemoreflexes induced by metabolites of arachidonic acid in the anaesthetised rabbit. (PC) 191*P*

CARTER D.A. & LIGHTMAN S.L. Neonatal androgenization of female rats abolishes the sexual dimorphism of oxytocin responses to stress. (C) 119*P*

CASEY Claire & WINLOW W. Cellular localization of serotonin by glyoxylic acid condensation in *Lymnaea*. (PC) 169*P*

CASTEELS R., DROOGMANS G. & MISSIAEN L. Modification by hormonal treatment of the agonist-induced ^{45}Ca release from the rat myometrium. (C) 96*P*

CASTEELS R. & HIMPENS B. Changes of $[Ca^{2+}]_i$, estimated by quin 2 during contraction of the longitudinal layer of the guinea-pig ileum. (C) 97*P*

CASTELL L.M. *see* ASHLEY C.C., CASTELL L.M., OSBORN C., PRITCHARD K. & RAINE A.E.G. Applications of fluorescent Ca^{2+} indicators for the measurement of cytoplasmic free Ca^{2+} concentrations in platelets and lymphocytes. (D) 23*P*

CAWKWELL R.D., JONES H.C. & KEEP R.F. Morphometric changes in the choroid plexus apical microvilli and mitochondria during development in the rat. (PC) 175*P*

CAZALIS Monique, DAYANITHI Govindan & NORDMANN Jean J. The role of patterned burst and interburst interval on the excitation-coupling mechanism in the isolated rat neural lobe. 45

CAZALIS Monique *see* BICKNELL R.J., CAZALIS Monique, DAYANITHI G. & NORDMANN J.J. Calcium-dependence of hormone release from isolated neurohypophysial nerve endings (neurosecretosomes) of the rat. (PC) 166*P*

CEVOLANI D. *see* AZZARONI A., CEVOLANI D., FERRARI G. & PARMEGGIANI P.L. Thermosensitive neurones during sleep in cats. (C) 60*P*

CHALLENGER S., HAINSWORTH R. & MCGREGOR K.H. Hind-limb vascular responses to changes in left ventricular pressure in dogs. (C) 135*P*

CHEEK T.R. *see* BAKER Elizabeth M., BURGOYNE R.D. & CHEEK T.R. The effect of forskolin on catecholamine release and intracellular free calcium in bovine adrenal chromaffin cells. (C) 99*P*

CHEESEMAN C.I. & MAENZ D. Induction of glucose transporter by hyperglycaemia in rat enterocyte basolateral membranes. (C) 152*P*

CHENG-CHEW S.B., HAMANN W., LEUNG M.S. & TSANG D. The effects of Neomycin on the ultrastructure of touch corpuscles in rats and on cellular respiration. (C) 61*P*

CHIPPERFIELD A.R. Influence of loop diuretics and anions on passive potassium influx into human red cells. 61

CHOWDHURY M. & FILLENZ Marianne The effects of drugs on Dopamine synthesis in rat striatal synaptosomes. (PC) 168*P*

CIANCI T., FRANZINI C., GUIDALOTTI P.L. & LENZI P. Regional blood flows in the rabbit spinal cord during sleep. (C) 131*P*

CITTERIO G. *see* AGOSTONI E. & CITTERIO G. Post-inspiratory diaphragm activity in rabbits after block of slowly adapting stretch receptors in all thoracic airways or in bronchi alone. (PC) 190*P*

CLARKE G. & WRIGHT D.M. Effect of 5-hydroxytryptamine on oxytocin release in anaesthetized lactating rats. (C) 128*P*

CLARKE R.W. & FORD T.W. Descending influences restrict naloxone enhancement of a spinal reflex in the rabbit. (C) 26*P*

CLELAND B.G. & LEE B.B. A comparison of visual responses of cat lateral geniculate nucleus neurones with those of ganglion cells afferent to them. 249

CODERONI S. *see* AMICI D., BRAMUCCI M., CODERONI S., GIANFRANCESCHI G.L., MACCARI E. & MIANO A. Homeostatic regulation of transcriptional process in mouse leukaemia cells by small chromatin peptides: molecular and cellular aspects. (C) 148*P*

COHEN R.D. *see* BELL Patricia B., BROWNING C., COHEN R.D., HENDERSON R.M. & ILES R.A. Measurement of intracellular pH in rat kidney *in vivo* using micro-electrodes: effect of acetazolamide. (C) 75*P*

COLE J.D., MANI R. & SEDGEWICK E.M. Cutaneous vasomotor reflexes following spinal cord injury in man. (C) 134*P*

COLLAZOS J.M. & SANCHEZ Ana cAMP reduces Ca^{2+} affinity of platelet secretory mechanism. (C) 114*P*

COLQUHOUN D. & SAKMANN B. Fast events in single-channel currents activated by acetylcholine and its analogues at the frog muscle end-plate. 501

CONWAY J., LEWINTER M., SLEIGHT P. & SOMERS V.K. Post-exercise changes in blood pressure and baroreflex sensitivity in man. (C) 136*P*

COOPER E. & SHRIER A. Single-channel analysis of fast transient potassium currents from rat nodose neurones. 199

COPENHAGEN David R. & GREEN Daniel G. The absence of spread of adaptation between rod photoreceptors in turtle retina. 161

CORBETT Melanie C., GARLAND C.J., GREENIDGE E., KEATINGE W.R., ORTEU Catherine, SALVAGE D & TATE Judith Pattern of response of smooth muscle of isolated bovine coronary arteries to a thromboxane A_2 analogue. (C) 140*P*

COX I.J., GADIAN D.G., GARDINER R.M., PROCTOR E. & WILLIAMS S.R. Measurement of brain histidine *in vivo* by 1H-NMR spectroscopy in the mutant histidinaemic mouse. (C) 65*P*

CREIG C., HORTOBÁGYI T. & SARGEANT A.J. Quadriceps surface e.m.g. and fatigue during maximal dynamic exercise in man. (PC) 180*P*

CREMASCHI D., JAMES P.S., MEYER G., ROSSETTI C. & SMITH M.W. Diet and temperature-induced changes in enterocyte membrane potential and K^+ activities in hamster jejunum. (C) 150*P*

CREMASHI D. *see* BOTTÀ G., CREMASHI D., MEYER G., PALESTINI P. & ROSSETTI C. Use of different inhibitors to study the co-transport systems of sodium chloride in the apical membrane of rabbit gall-bladder epithelial cells. (PC) 182*P*

CUMMING B.G. & JUDGE S.J. Dynamics of disparity-induced accommodation compared with those of blur-induced accommodation in the monkey. (C) 43*P*

CUNNINGHAM V.J., HARGREAVES R.J., MOORHOUSE S.R., PELLING D. & WILTON Susanne Kinetics of glucose transport at regional level in the CNS of the anaesthetized rat. (PC) 176*P*

DA COSTA D.F. *see* BANNISTER R., DA COSTA D.F., FOSBRAEY P. & MATHIAS C.J. Exogenous insulin lowers blood pressure in autonomic failure. (C) 132*P*

DANIELI-BETTO Daniela, MARTINO R., MIDRIO M. & VELUSSI C. Calcium and hypertonicity on m.e.p.p. frequency and distribution in time. (PC) 165*P*

DASHWOOD M.R. & ROBINSON I.C.A.F. Autoradiographic localization of [^{3}H]vasopressin binding sites in Brattoeboro and Long-Evans rats. (C) 126*P*

DATTA A.K., FLEMING Jean R. & STEPHENS J.A. The effect of stroke on synchronization of human motor unit firing in large flexor and extensor muscles in the leg and a small hand muscle. (C) 29*P*

DAVIES J. & QUINLAN J. Direct and indirect effects of excitatory amino acids on rat cerebellar Purkinje cells, *in vivo*. (PC) 177*P*

DAY B.L. *see* BENECKE R., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Performance of various types of simultaneous movements in patients with Parkinson's disease. (C) 30*P*

DAYANITHI G. *see* BICKNELL R.J., CAZALIS Monique, DAYANITHI G. & NORDMANN J.J. Calcium-dependence of hormone release from isolated neurohypophysial nerve endings (neurosecretosomes) of the rat. (PC) 166*P*

DAYANITHI Govindan *see* CAZALIS Monique, DAYANITHI Govindan & NORDMANN Jean J. The role of patterned burst and interburst interval on the excitation-coupling mechanism in the isolated rat neural lobe. 45

DE LEO T., DI MAIO V., DI MEO S. & VALENTE M. Effect of thyroid state on the heart mitochondria in the rat. (PC) 187*P*

DEBNAM E.S. & THOMPSON C.S. Effect of starvation on the localization of valine uptake by the rat small intestine. (PC) 195*P*

DECANDIA M. & ORANI G.P. Reflex hyperventilation in relation to cardiovascular changes in cats. (C) 144*P*

DEFEO Tia T. & MORGAN Kathleen G. Calcium–force relationships as detected with aequorin in two different vascular smooth muscles of the ferret. 269

DEMONTIS G. *see* BRUNELLI M., DEMONTIS G. & TRAINA G. Modulation of an electrogenic pump as a mechanism of synaptic plasticity in leech ganglia. (C) 110*P*

DE'SPERATI C., MONTAROLO P.G. & STRATA P. Inferior olive control of the dynamic responses of the medial vestibular neurones to labyrinthine stimulation in the rat. (C) 48*P*

DI MAIO V. *see* DE LEO T., DI MAIO V., DI MEO S. & VALENTE M. Effect of thyroid state on the heart mitochondria in the rat. (PC) 187*P*

DI MEO S. *see* DE LEO T., DI MAIO V., DI MEO S. & VALENTE M. Effect of thyroid state on the heart mitochondria in the rat. (PC) 187*P*

DICK J.P.R. *see* BENECKE R., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Performance of various types of simultaneous movements in patients with Parkinson's disease. (C) 30*P*

DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Fast Na current inhibition by cations of group 2b in isolated guinea-pig and neonatal rat cardiac cells. (C) 87*P*

DILLY Stephen & LAB Max J. Is electrical alternans ubiquitous in myocardial ischaemia? Studies in anaesthetized pig. (C) 129*P*

DIXSON A.F. & KENDRICK K.M. Effects of hypothalamic lesions upon proceptivity and sexual receptivity in female marmosets (*Callithrix jacchus*). (C) 118*P*

DOCHERTY R.J. & MILLER R.J. Actions of 1,4-dihydropyridines on voltage-sensitive calcium current in neuroblastoma × glioma hybrid NG108 15 cells. (C) 69*P*

DONALDSON I.M.L. *see* ASHTON J.A., BODDY A., DONALDSON I.M.L. & MILLERET C. Input from extraocular muscle afferents to the vestibular nuclear complex and the medullary reticular formation of the cat. (C) 46*P*

DONGA R. *see* APPENTENG K., DONGA R. & WILLIAMS R.G. Morphological and electrophysiological determination of the projections of jaw-elevator muscle spindle afferents in rats. 93

DRAICCHIO F. *see* BARMACK N.H., DRAICCHIO F., ERRICO P., FERRARESI A. & PETTOROSSI V.E. Characteristics of the combination of the vestibulo- and cervico-ocular reflexes in the control of rabbit eye movements. (C) 47*P*

DROOGMANS G. *see* CASTEELS R., DROOGMANS G. & MISSIAEN L. Modification by hormonal treatment of the agonist-induced ^{45}Ca release from the rat myometrium. (C) 96*P*

DUBOIS J.M. *see* BENOIT E. & DUBOIS J.M. Co-operative effects of tetrodotoxin on the myelinated nerve fibre of the frog *Rana esculenta*. (PC) (T) 197*P*

DUNNE M.J. & FINDLAY I. Voltage-activated Ca^{2+}-currents in an insulin-secreting cell line from rat. (C) 98*P*

DUNNE M.J., FINDLAY I. & PETERSEN O.H. Three distinct potassium channels in cultured rat pancreatic islet cells. (C) 100*P*

DUNWIDDIE Thomas V. & HAAS Helmut L. Adenosine increases synaptic facilitation in the *in vitro* rat hippocampus: evidence for a presynaptic site of action. 365

DURNIN C.J. , HEADLEY S.A., HOLLAND R.L., NYEKO C., RIDOUT S.S. & SAYERS J.A. Human core temperatures at various sites during rapid body heating. (PC) 194*P*

DYBALL R.E.J. & KNIGHT C.J. Phasic cells of the supraoptic nuclei of the rat in DOC-salt hypertension. (C) 127*P*

EISNER D.A. *see* CANNELL M.B., EISNER D.A., LEDERER W.J. & VALDEOLMILLOS M. The effects of membrane potential on intracellular Ca concentration in voltage-clamped sheep cardiac Purkinje fibres in Na-free solutions. (C) 90*P*

ELIAS S.A., SOMJEN G. & TAYLOR A. Evidence for a direct projection of periodontal afferents to the cerebellar cortex in the ferret. (C) 52*P*

ELLORY J.C., FINCHAM D.A. & YOUNG J.D. Kinetic and radiation inactivation studies of amino acid transport in erythrocytes from Przewalski's horse. (C) 154*P*

ELZINGA G., HOWARTH J.V., WILSON M.G.A. & WOLEDGE R.C. A comparison of the heat produced in two successive tetani of isolated fibres from frog tibialis anterior muscle near 0 °C. (C) 71*P*

EMERY P.W., MANN G.E. & SMITH S.A. Effects of starvation and diabetes mellitus on free amino acid concentrations in the exocrine pancreas and plasma of the rat. (PC) 196*P*

ERRICO P. *see* BARMACK N.H., DRAICCHIO F., ERRICO P., FERRARESI A. & PETTOROSSI V.E. Characteristics of the combination of the vestibulo- and cervico-ocular reflexes in the control of rabbit eye movements. (C) 47*P*

ESPOSITO G., FAELLI A., LINDI C., MARCIANI P. & ZOPPI S. The influence of age on D-glucose transport in rat jejunum. (C) 151*P*

EUSEBI F., MILEDI R., PARKER I. & STINNAKRE J. Post-synaptic calcium influx at the giant synapse of the squid during activation by glutamate. 183

EWART W.R. *see* BROOKES S.J.H., EWART W.R. & WINGATE D.L. Intracellular recordings from the rat myenteric plexus *in vitro*. (C) 109*P*

EYSSELEIN V.E., NIEBEL W. & SINGER M.V. Gastrin response to a meal before and after cutting the extrinsic nerves of the stomach in the dog. 355

FAELLI A. *see* ESPOSITO G., FAELLI A., LINDI C., MARCIANI P. & ZOPPI S. The influence of age on D-glucose transport in rat jejunum. (C) 151*P*

FALUDI Judit *see* BOLDOG I., FALUDI Judit, HORTOBÁGYI T. & MIHÁLYFI P. Effects of strength training on MVC, e.m.g. activity, and shortening speed of the quadriceps in man. (PC) 181*P*

FERENCZI M.A. Isometric tension provides an accurate measurement of the temperature of single glycerinated muscle fibres from the rabbit. (C) 72*P*

FERRARESI A. *see* BARMACK N.H., DRAICCHIO F., ERRICO P., FERRARESI A. & PETTOROSSI V.E. Characteristics of the combination of the vestibulo- and cervico-ocular reflexes in the control of rabbit eye movements. (C) 47*P*

FERRARI G. *see* AZZARONI A., CEVOLANI D., FERRARI G. & PARMEGGIANI P.L. Thermosensitive neurones during sleep in cats. (C) 60*P*

FERRELL W.R. *see* BAXENDALE R.H., FERRELL W.R. & WOOD L. Intra-articular pressures during active and passive movement of normal and distended human knee joints. (PC) 179*P*

FERRONI A. *see* DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Fast Na current inhibition by cations of group 2b in isolated guinea-pig and neonatal rat cardiac cells. (C) 87*P*

FIELD Anne C. & JENKINSON D.H. The influence of noradrenaline on the membrane conductance of isolated guinea-pig and rabbit hepatocytes. (C) 106*P*

FIGUEROA J.P., MCDONALD T.J., NATHANIELSZ P.W., POORE E.R. & WENTWORTH R.A. Circadian variation in myometrial activity in the chronically instrumented pregnant sheep at 120–130 days gestation. (C) 116*P*

FIGUEROA J.P. *see* BUTLER W.R., FIGUEROA J.P., FRANK D.A., GLEED R.D., NATHANIELSZ P.W. & POORE E.R. Myometrial electromyographic (e.m.g.) activity in the pregnant rhesus monkey following fetal surgery with or without maternal administration of the aromatase inhibitor 4-hydroxyandrostenedione (4-OHA). (PC) (T) 197*P*

FILLENZ Marianne *see* ANDERSON Shelagh M.P., FILLENZ Marianne & STANFORD Clare The effect of chronic, mild stress on monoamine synthesis rate in rat cortical synaptosomes. (C) 68*P*

FILLENZ Marianne *see* CHOWDHURY M. & FILLENZ Marianne The effects of drugs on Dopamine synthesis in rat striatal synaptosomes. (PC) 168*P*

FINCHAM D.A. *see* ELLORY J.C., FINCHAM D.A. & YOUNG J.D. Kinetic and radiation inactivation studies of amino acid transport in erythrocytes from Przewalski's horse. (C) 154*P*

FINDLAY I. *see* DUNNE M.J. & FINDLAY I. Voltage-activated Ca^{2+}-currents in an insulin-secreting cell line from rat. (C) 98*P*

FINDLAY I. *see* DUNNE M.J., FINDLAY I. & PETERSEN O.H. Three distinct potassium channels in cultured rat pancreatic islet cells. (C) 100*P*

FISCHMEISTER Rodolphe *see* BROCASRANDOLPH Mireille, FISCHMEISTER Rodolphe, LECHENE Patrick & VASSORT Guy A dual effect of cardiac glycosides on Ca current in frog ventricular myocytes. (C) 91*P*

FITZKE F.W., HAYES B.P., HODOS W. & HOLDEN A.L. Electrophysiological optometry using Scheiner's principle in the pigeon eye. 17

FITZKE F.W., HAYES B.P., HODOS W., HOLDEN A.L. & LOW J.C. Refractive sectors in the visual field of the pigeon eye. 33

FLEMING Jean R. *see* DATTA A.K., FLEMING Jean R. & STEPHENS J.A. The effect of stroke on synchronization of human motor unit firing in large flexor and extensor muscles in the leg and a small hand muscle. (C) 29*P*

FORD T.W. *see* CLARKE R.W. & FORD T.W. Descending influences restrict naloxone enhancement of a spinal reflex in the rabbit. (C) 26*P*

FORSLING Mary L. & RUNNALLS M.E. Method for recording patterns of drinking in the conscious rat. (D) 17*P*

FORSLING Mary L. & MATZIARI Chrisoula The effects of naloxone and haloperidol on the vasopressin response to a hypertonic stimulus in conscious rats. (C) 122*P*

FOSBRAEY P. *see* BANNISTER R., DA COSTA D.F., FOSBRAEY P. & MATHIAS C.J. Exogenous insulin lowers blood pressure in autonomic failure. (C) 132*P*

FOTI L. *see* AGNISOLA C., FOTI L. & GENOINO I. Trara Effect of serotonin on the *in vitro* cardiac performance in *Octopus vulgaris*. (PC) 186*P*

FOWLER M.S., RIDDELL P.M. & STEIN J.F. Vergence eye movements in normal and dyslexic children. (C) 41*P*

FRANK D.A. *see* BUTLER W.R., FIGUEROA J.P., FRANK D.A., GLEED R.D., NATHANIELSZ P.W. & POORE E.R. Myometrial electromyographic (e.m.g.) activity in the pregnant rhesus monkey following fetal surgery with or without maternal administration of the aromatase inhibitor 4-hydroxyandrostenedione (4-OHA). (PC) (T) 197*P*

FRANZINI C. *see* CIANCI T., FRANZINI C., GUIDALOTTI P.L. & LENZI P. Regional blood flows in the rabbit spinal cord during sleep. (C) 131*P*

FRASER M.J., HEADLEY P.M. & WEST D.C. Linking an averager unit to a BBC microcomputer. (D) 15*P*

FREESTON I.L. *see* BARKER A.T., FREESTON I.L., JALINOUS R., MERTON P.A. & MORTON H.B. Magnetic stimulation of the human brain. (D) 3*P*

FREUND-MERCIER M.J., MEYER C. & RICHARD PH. Oxytocin and oxytocin cell background activity in suckled rats. (PC) 174*P*

GADIAN D.G. *see* COX I.J., GADIAN D.G., GARDINER R.M., PROCTOR E. & WILLIAMS S.R. Measurement of brain histidine *in vivo* by 1H-NMR spectroscopy in the mutant histidinaemic mouse. (C) 65*P*

GALLI L. *see* BERARDI N., GALLI L., MAFFEI L. & SILIPRANDI R. Binocular suppression in cat cortical neurones. (C) 38*P*

GALLIN Elaine K. & SHEEHY Paul A. Differential expression of inward and outward potassium currents in the macrophage-like cell line J774.1. 475

GARCÍA-SANCHO J. *see* ALVAREZ J., GARCÍA-SANCHO J. & HERREROS B. Paradoxical effect of oligomycin on Ca-dependent ^{86}Rb transport in human red cell ghosts. (C) 113*P*

GARDINER R.M. *see* COX I.J., GADIAN D.G., GARDINER R.M., PROCTOR E. & WILLIAMS S.R. Measurement of brain histidine *in vivo* by 1H-NMR spectroscopy in the mutant histidinaemic mouse. (C) 65*P*

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Factors affecting the maintenance of blood pressure in Long Evans rats made hypovolaemic by subcutaneous injection of polyethylene glycol. (C) 124*P*

GARDINER S.M. *see* BENNETT T., GARDINER S.M. & HEBDEN R.A. Factors influencing B.P. in rats with streptozotocin-induced diabetes mellitus. (C) 125*P*

GARLAND C.J. *see* CORBETT Melanie C., GARLAND C.J., GREENIDGE E., KEATINGE W.R., ORTEU Catherine, SALVAGE D & TATE Judith Pattern of response of smooth muscle of isolated bovine coronary arteries to a thromboxane A_2 analogue. (C) 140*P*

GARNIER D. & ROULET M.J. Is pH_i involved in the temperature-sensitivity of the oxygen-mediated response in the smooth muscle of guinea-pig ductus arteriosus? (C) 74*P*

GATTULLO Donatella *see* BASSO Marisa, GATTULLO Donatella, LOSANO G., SOARDO G.P. & VACCA G. Observations on the non-linear elastic properties of the aortic wall in the anaesthetized rabbit. (C) 141*P*

GAVIOLI M.E. *see* BRIGHENTI L., GAVIOLI M.E., OTTOLENGHI C. & PUVIANI A.C. Epinephrine effects on glycogen-phosphorylase activity in catfish liver. (C) 157*P*

GENOINO I. Trara *see* AGNISOLA C., FOTI L. & GENOINO I. Trara Effect of serotonin on the *in vitro* cardiac performance in *Octopus vulgaris*. (PC) 186*P*

GHELARDUCCI B. *see* BRADLEY D.J., GHELARDUCCI B., PATON J.F.R. & SPYER K.M. Cardiovascular responses to stimulation of the posterior cerebellum in anaesthetized rabbits. (C) 130*P*

GIACHETTI A. *see* LORENZINI C. Ambrogi, BUCHERELLI C. & GIACHETTI A. Effects of illumination and detention on the exploratory behaviour of the rat. (PC) 172*P*

GIANFRANCESCHI G.L. *see* AMICI D., BRAMUCCI M., CODERONI S., GIANFRANCESCHI G.L., MACCARI E. & MIANO A. Homeostatic regulation of transcriptional process in mouse leukaemia cells by small chromatin peptides: molecular and cellular aspects. (C) 148*P*

GILBEY M.P., JORDAN D., NUMAO Y., SPYER K.M. & WOOD L.M. Respiratory modulation of cervical sympathetic preganglionic neurones in the anaesthetized rat. (C) 145*P*

GILLETTE Martha U. Preparation of brain slices from the suprachiasmatic nuclei of rat can reset the circadian clock. (C) 55*P*

GIRDLESTONE D., MCCROHAN C.R. & WINLOW W. Effects of halothane on the giant serotonin-containing cerebral neurones of *Lymnaea*. (C) 56*P*

GIRDLESTONE D. *see* APPENTENG K., GIRDLESTONE D. & HOLDEN A.V. Transsynaptic labelling of trigeminal interneurones by WGA-HRP in the rat. (C) 64*P*

GJÖRSTRUP P., HÅRDING Helena, JACOBSSON B. & RANSNÄS L. On the positive inotropic response of muscarinic receptor stimulation in feline papillary muscle *in vitro*. (C) 84*P*

GLAZIER J.D. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Sodium transfer across the *in vitro* pig placenta; effect of adrenaline. (C) 156*P*

GLEED R.D. *see* BUTLER W.R., FIGUEROA J.P., FRANK D.A., GLEED R.D., NATHANIELSZ P.W. & POORE E.R. Myometrial electromyographic (e.m.g.) activity in the pregnant rhesus monkey following fetal surgery with or without maternal administration of the aromatase inhibitor 4-hydroxyandrostenedione (4-OHA). (PC) (T) 197*P*

GODBER J.F. *see* ASHLEY C.C., GODBER J.F., REYNOLDS G.T. & WALTON A. Single fura-2 loaded barnacle muscle fibres studied under voltage clamp using image intensification techniques. (D) 22*P*

GOGLIA F. *see* BARLETTA A., GOGLIA F., LANNI A. & LIVERINI G. Peroxisome and light mitochondrion biogenesis during cold adaptation. (PC) 193*P*

GOLDMAN Y.E., MCCRAY J.A. & RANATUNGA K.W. Temperature-jump, temperature-clamp experiments on glycerol-extracted muscle fibres from rabbit psoas muscle. (C) 73*P*

GOODCHILD C.S. *see* BENNETT J.A., GOODCHILD C.S., KIDD C. & MCWILLIAM P.N. Neurones in the brain stem of the cat excited by vagal afferent fibres from the heart and lungs. 1

GRAF J. *see* BOYER J.L., GRAF J. & HENDERSON R.M. Micro-electrode measurement of intracellular pH in isolated rat hepatocytes: inhibition of recovery from acidification by reduction of external sodium or by amiloride. (PC) 184*P*

GRAFE P. *see* BAKER M., BOSTOCK H. & GRAFE P. Accommodation in rat myelinated axons depends on two pharmacologically distinct types of potassium channel. (C) 102*P*

GRAY M.A. & WILLIAMS A.J. Multiple conducting states in the K^+ channel of rabbit cardiac muscle sarcoplasmic reticulum (SR); effect of block by a bis quaternary ammonium compound. (PC) 183*P*

GREEN Daniel G. *see* COPENHAGEN David R. & GREEN Daniel G. The absence of spread of adaptation between rod photoreceptors in turtle retina. 161

GREENFIELD Susan A. *see* BURGUN C., GREENFIELD Susan A., WAKSMAN A. & WESTON Jane Differential effects of cholinergic agonists on acetylcholinesterase release from the rat substantia nigra *in vivo*. (C) 66*P*

GREENIDGE E. *see* CORBETT Melanie C., GARLAND C.J., GREENIDGE E., KEATINGE W.R., ORTEU Catherine, SALVAGE D & TATE Judith Pattern of response of smooth muscle of isolated bovine coronary arteries to a thromboxane A_2 analogue. (C) 140*P*

GREENWOOD J. & PRATT O.E. Comparison of the effects of some thiamine analogues upon thiamine transport across the blood–brain barrier of the rat. 79

GRIEVE K.L. *see* BURGES J.C., GRIEVE K.L., MURPHY P.C. & SILLITO A.M. Iontophoretically applied bicuculline reveals excitatory responses from the non-dominant eye receptive fields of cells in the A laminae of the cat dorsal lateral geniculate nucleus (dLGN). (C) 36*P*

GRIFFITHS P.J. *see* ASHLEY C.C., GRIFFITHS P.J., LEA T.J. & TREGEAR R.T. Does inositol triphosphate induce tension development in skinned muscle fibres of barnacle and frog? (PC) 185*P*

GUIDALOTTI P.L. *see* CIANCI T., FRANZINI C., GUIDALOTTI P.L. & LENZI P. Regional blood flows in the rabbit spinal cord during sleep. (C) 131*P*

GUZ A. *see* ADAMS L., GUZ A., INNES J.A., MURPHY K. & SEMPLE S.J.G. Dynamics of the early ventilatory and circulatory responses to voluntary and electrically-induced exercise in man. (C) 142*P*

HAAS Helmut L. *see* DUNWIDDIE Thomas V. & HAAS Helmut L. Adenosine increases synaptic facilitation in the *in vitro* rat hippocampus: evidence for a presynaptic site of action. 365

HADLEY R.W., HUME J.R., KACZOROWSKI G.J., SIEGL P.K.S. & VASSILEV P.M. Block of 'creep currents' in single frog atrial cells by vesicular Na/Ca-exchange inhibitors. (C) 89*P*

HAINSWORTH R. *see* CHALLENGER S., HAINSWORTH R. & MCGREGOR K.H. Hind-limb vascular responses to changes in left ventricular pressure in dogs. (C) 135*P*

HAINSWORTH R. *see* AL-SHAMMA Y.M.H. & HAINSWORTH R. The cardiovascular responses to upright tilting and lower body negative pressure in man. (PC) 188*P*

HALLIWELL J.V. Current and voltage responses from human neocortical neurones *in vitro*. (C) 49*P*

HALSEY M.J., HAWLEY Diane & WARDLEY-SMITH Bridget Does decompression cause the hyperbaric-induced subfertility observed in male mice? (C) 120*P*

HAMANN W. *see* CHENG-CHEW S.B., HAMANN W., LEUNG M.S. & TSANG D. The effects of Neomycin on the ultrastructure of touch corpuscles in rats and on cellular respiration. (C) 61*P*

HAMM Thomas M., KOEHLER Walther, STUART Douglas G. & VANDEN NOVEN Sharyn Partitioning of monosynaptic Ia excitatory post-synaptic potentials in the motor nucleus of the cat semi-membranosus muscle. 379

HANDA R.K. & JOHNS Edward J. Interaction of the renin–angiotensin system and the renal nerves in the regulation of rat kidney function. 311

HÅRDING Helena *see* GJÖRSTRUP P., HÅRDING Helena, JACOBSSON B. & RANSNÄS L. On the positive inotropic response of muscarinic receptor stimulation in feline papillary muscle *in vitro*. (C) 84*P*

HARDMAN V.J. *see* BOOTH C.M., BROWN M.C. & HARDMAN V.J. A simple model of motor nerve–muscle fibre interactions. (D) 2*P*

HARGREAVES R.J. *see* CUNNINGHAM V.J., HARGREAVES R.J., MOORHOUSE S.R., PELLING D. & WILTON Susanne Kinetics of glucose transport at regional level in the CNS of the anaesthetized rat. (PC) 176*P*

HARKES A. *see* BERHE A., HARKES A. & SIBLEY C.P. Effect of molecular charge on guinea-pig placenta permeability: quantitative measurements using horseradish peroxidase (HRP). (C) 155*P*

HARRISON Donna E. *see* ASHCROFT Frances M., ASHCROFT S.J.H. & HARRISON Donna E. The glucose-sensitive potassium channel in rat pancreatic beta-cells is inhibited by intracellular ATP. (C) 101*P*

HARRISON P.J., JACK J.J.B. & KULLMANN D.M. Independence of quantal size recorded at the soma and synaptic location of descending monosynaptic excitatory postsynaptic potentials in cat spinal motoneurones. (C) 25*P*

HART G. *see* BOYETT M.R., HART G., LEVI A.J. & ROBERTS A. Biphasic changes of intracellular Na^+ activity (a_{Na}^i) in isolated sheep and dog Purkinje fibres. (C) 86*P*

HAWKEN Mike *see* BLAKEMORE Colin & HAWKEN Mike Contrast sensitivity of neurones in the lateral geniculate nucleus of the neonatal monkey. (C) 37*P*

HAWLEY Diane *see* HALSEY M.J., HAWLEY Diane & WARDLEY-SMITH Bridget Does decompression cause the hyperbaric-induced subfertility observed in male mice? (C) 120*P*

HAWORTH D. *see* CAREY F., HAWORTH D., RAYBOULD Helen E. & RUSSELL N.J.W. Pulmonary chemoreflexes induced by metabolites of arachidonic acid in the anaesthetised rabbit. (PC) 191*P*

HAYES B.P. *see* FITZKE F.W., HAYES B.P., HODOS W. & HOLDEN A.L. Electrophysiological optometry using Scheiner's principle in the pigeon eye. 17

HAYES B.P. *see* FITZKE F.W., HAYES B.P., HODOS W., HOLDEN A.L. & LOW J.C. Refractive sectors in the visual field of the pigeon eye. 33

HAYES P.A., SMITH F.W. & SOWOOD P.J. Distribution and quantitation of human body fat using nuclear magnetic resonance (NMR) imaging: comparison with a skinfold calliper method. (C) 160*P*

HEADLEY P.M. *see* FRASER M.J., HEADLEY P.M. & WEST D.C. Linking an averager unit to a BBC microcomputer. (D) 15*P*

HEADLEY S.A. *see* DURNIN C.J. , HEADLEY S.A., HOLLAND R.L., NYEKO C., RIDOUT S.S. & SAYERS J.A. Human core temperatures at various sites during rapid body heating. (PC) 194*P*

HEBDEN R.A. *see* BENNETT T., GARDINER S.M. & HEBDEN R.A. Factors influencing B.P. in rats with streptozotocin-induced diabetes mellitus. (C) 125*P*

HENDERSON R.M. *see* BELL Patricia B., BROWNING C., COHEN R.D., HENDERSON R.M. & ILES R.A. Measurement of intracellular pH in rat kidney *in vivo* using micro-electrodes: effect of acetazolamide. (C) 75*P*

HENDERSON R.M. *see* BOYER J.L., GRAF J. & HENDERSON R.M. Micro-electrode measurement of intracellular pH in isolated rat hepatocytes: inhibition of recovery from acidification by reduction of external sodium or by amiloride. (PC) 184*P*

HERMSMEYER K., HOWELL J., OETLIKER H. & UELTSCHI P. Effect of altered extracellular potassium and calcium on birefringence signal and twitch from isolated frog skeletal muscle fibres. (C) 79*P*

HERREROS B. *see* ALVAREZ J., GARCÍA-SANCHO J. & HERREROS B. Paradoxical effect of oligomycin on Ca-dependent ^{86}Rb transport in human red cell ghosts. (C) 113*P*

HIMPENS B. *see* CASTEELS R. & HIMPENS B. Changes of $[Ca^{2+}]_i$, estimated by quin 2 during contraction of the longitudinal layer of the guinea-pig ileum. (C) 97*P*

HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Early events in development of electrical activity and contraction in embryonic rat heart assessed by optical recording. 209

HODOS W. *see* FITZKE F.W., HAYES B.P., HODOS W. & HOLDEN A.L. Electrophysiological optometry using Scheiner's principle in the pigeon eye. 17

HODOS W. *see* FITZKE F.W., HAYES B.P., HODOS W., HOLDEN A.L. & LOW J.C. Refractive sectors in the visual field of the pigeon eye. 33

HODSON S.A. & WIGHAM C.G. A difference between net bicarbonate flux and short circuit current across rabbit corneal endothelium. (C) 111*P*

HOLDEN A.L. *see* FITZKE F.W., HAYES B.P., HODOS W. & HOLDEN A.L. Electrophysiological optometry using Scheiner's principle in the pigeon eye. 17

HOLDEN A.L. *see* FITZKE F.W., HAYES B.P., HODOS W., HOLDEN A.L. & LOW J.C. Refractive sectors in the visual field of the pigeon eye. 33

HOLDEN A.V. *see* APPENTENG K., GIRDLESTONE D. & HOLDEN A.V. Transsynaptic labelling of trigeminal interneurones by WGA-HRP in the rat. (C) 64*P*

HOLLAND R.L. *see* DURNIN C.J. , HEADLEY S.A., HOLLAND R.L., NYEKO C., RIDOUT S.S. & SAYERS J.A. Human core temperatures at various sites during rapid body heating. (PC) 194*P*

HORTOBÁGYI T. *see* CREIG C., HORTOBÁGYI T. & SARGEANT A.J. Quadriceps surface e.m.g. and fatigue during maximal dynamic exercise in man. (PC) 180*P*

HORTOBÁGYI T. *see* BOLDOG I., FALUDI Judit, HORTOBÁGYI T. & MIHÁLYFI P. Effects of strength training on MVC, e.m.g. activity, and shortening speed of the quadriceps in man. (PC) 181*P*

HOWARD M.K., PRESTON M.J. & VAUGHAN-JONES R.D. A foot-pedal operated focusing device suitable for use with a class-dissection microscope. (D) 10*P*

HOWARTH J.V. *see* ELZINGA G., HOWARTH J.V., WILSON M.G.A. & WOLEDGE R.C. A comparison of the heat produced in two successive tetani of isolated fibres from frog tibialis anterior muscle near 0 °C. (C) 71*P*

HOWELL J. *see* HERMSMEYER K., HOWELL J., OETLIKER H. & UELTSCHI P. Effect of altered extracellular potassium and calcium on birefringence signal and twitch from isolated frog skeletal muscle fibres. (C) 79*P*

HUME J.R. *see* HADLEY R.W., HUME J.R., KACZOROWSKI G.J., SIEGL P.K.S. & VASSILEV P.M. Block of 'creep currents' in single frog atrial cells by vesicular Na/Ca-exchange inhibitors. (C) 89*P*

ILES R.A. *see* BELL Patricia B., BROWNING C., COHEN R.D., HENDERSON R.M. & ILES R.A. Measurement of intracellular pH in rat kidney *in vivo* using micro-electrodes: effect of acetazolamide. (C) 75*P*

INCERPI S. *see* BALDINI P., INCERPI S., LULY P. & VERNA R. Insulin responsiveness of human erythrocyte plasma membrane. (C) 112*P*

INCHINGOLO P. Neurological control of horizontal binocular saccadic eye movements. (C) 45*P*

INNES J.A. *see* ADAMS L., GUZ A., INNES J.A., MURPHY K. & SEMPLE S.J.G. Dynamics of the early ventilatory and circulatory responses to voluntary and electrically-induced exercise in man. (C) 142*P*

IYAWE V.I., JACOBI M.S., MEHTA N., PATIL C.P. & SAUNDERS K.B. The initial cardiac output response to voluntary hyperventilation in humans. (PC) (T) 197*P*

JACK J.J.B. *see* HARRISON P.J., JACK J.J.B. & KULLMANN D.M. Independence of quantal size recorded at the soma and synaptic location of descending monosynaptic excitatory postsynaptic potentials in cat spinal motoneurones. (C) 25*P*

JACOBI M.S. *see* IYAWE V.I., JACOBI M.S., MEHTA N., PATIL C.P. & SAUNDERS K.B. The initial cardiac output response to voluntary hyperventilation in humans. (PC) (T) 197*P*

JACOBSSON B. *see* GJÖRSTRUP P., HÄRDING Helena, JACOBSSON B. & RANSNÄS L. On the positive inotropic response of muscarinic receptor stimulation in feline papillary muscle *in vitro*. (C) 84*P*

JALINOUS R. *see* BARKER A.T., FREESTON I.L., JALINOUS R., MERTON P.A. & MORTON H.B. Magnetic stimulation of the human brain. (D) 3*P*

JAMES P.S. *see* CREMASCHI D., JAMES P.S., MEYER G., ROSSETTI C. & SMITH M.W. Diet and temperature-induced changes in enterocyte membrane potential and K^+ activities in hamster jejunum. (C) 150*P*

JAMI Léna, PETIT J. & SCOTT J.J.A. Activation of cat muscle spindles by static skeletofusimotor axons. 323

JENKINSON D.H. *see* FIELD Anne C. & JENKINSON D.H. The influence of noradrenaline on the membrane conductance of isolated guinea-pig and rabbit hepatocytes. (C) 106*P*

JOHNS Edward J. *see* HANDA R.K. & JOHNS Edward J. Interaction of the renin–angiotensin system and the renal nerves in the regulation of rat kidney function. 311

JOHNSON I.R., NICHOLS C.G. & ROUSE W. Caffeine block of length-dependent activation in the isovolumic isolated dog heart. (C) 85*P*

JONES C.J. & KEALEY T. Dye coupling in cells of isolated human eccrine sweat glands. (C) 121*P*

JONES H.C. *see* CAWKWELL R.D., JONES H.C. & KEEP R.F. Morphometric changes in the choroid plexus apical microvilli and mitochondria during development in the rat. (PC) 175*P*

JONES Lynne *see* BRENAN A. & JONES Lynne Evidence of the regeneration of cutaneous polymodal nociceptor afferents following nerve crush in the rat. (C) 62*P*

JONES M.T. *see* ASLAM M., JONES M.T. & NICHOLSON S.A. Effect of repeated volleys of luteinizing hormone-releasing hormone (LHRH) on perifused rat pituitary glands removed on dioestrus or pro-oestrus. (C) 117*P*

JORDAN D. *see* GILBEY M.P., JORDAN D., NUMAO Y., SPYER K.M. & WOOD L.M. Respiratory modulation of cervical sympathetic preganglionic neurones in the anaesthetized rat. (C) 145*P*

JUDGE S.J. *see* CUMMING B.G. & JUDGE S.J. Dynamics of disparity-induced accommodation compared with those of blur-induced accommodation in the monkey. (C) 43*P*

KACZOROWSKI G.J. *see* HADLEY R.W., HUME J.R., KACZOROWSKI G.J., SIEGL P.K.S. & VASSILEV P.M. Block of 'creep currents' in single frog atrial cells by vesicular Na/Ca-exchange inhibitors. (C) 89*P*

KAILA K. & VOIPIO J. A simple method for dry bevelling of micropipettes used in the construction of ion-selective micro-electrodes. (D) 8*P*

KAILA K. & VAUGHAN-JONES R.D. Simultaneous measurement of intracellular ion activities and tension in voltage-clamped sheep cardiac Purkinje fibres. (D) 9*P*

KAILA K. & VAUGHAN-JONES R.D. The effect of amiloride on intracellular sodium, intracellular pH and tension in voltage-clamped sheep cardiac Purkinje fibres. (C) 78*P*

KAMINO Kohtaro *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Early events in development of electrical activity and contraction in embryonic rat heart assessed by optical recording. 209

KATAYAMA Y., LEES G.M. & PEARSON G.T. Electrophysiology and morphological characteristics of vasoactive intestinal peptide (VIP)-immunoreactive neurones in the isolated guinea-pig myenteric plexus. (C) 59*P*

KEALEY T. *see* JONES C.J. & KEALEY T. Dye coupling in cells of isolated human eccrine sweat glands. (C) 121*P*

KEATINGE W.R. *see* CORBETT Melanie C., GARLAND C.J., GREENIDGE E., KEATINGE W.R., ORTEU Catherine, SALVAGE D & TATE Judith Pattern of response of smooth muscle of isolated bovine coronary arteries to a thromboxane A_2 analogue. (C) 140*P*

KEATINGE W.R., MASON A.C., MILLARD C.E. & NEWSTEAD C.G. Effects of fluctuating skin temperatures on human thermoregulatory responses. (C) 161*P*

KEEP R.F. *see* CAWKWELL R.D., JONES H.C. & KEEP R.F. Morphometric changes in the choroid plexus apical microvilli and mitochondria during development in the rat. (PC) 175*P*

KEHOE Jacsue Synaptic block of a transmitter-induced potassium conductance in *Aplysia* neurones. 399

KEHOE Jacsue Synaptic block of a calcium-activated potassium conductance in *Aplysia* neurones. 439

KENDRICK K.M. *see* DIXSON A.F. & KENDRICK K.M. Effects of hypothalamic lesions upon proceptivity and sexual receptivity in female marmosets (*Callithrix jacchus*). (C) 118*P*

KIDD C. *see* BENNETT J.A., GOODCHILD C.S., KIDD C. & MCWILLIAM P.N. Neurones in the brain stem of the cat excited by vagal afferent fibres from the heart and lungs. 1

KNIGHT C.J. *see* DYBALL R.E.J. & KNIGHT C.J. Phasic cells of the supraoptic nuclei of the rat in DOC-salt hypertension. (C) 127*P*

KOEHLER Walther *see* HAMM Thomas M., KOEHLER Walther, STUART Douglas G. & VANDEN NOVEN Sharyn Partitioning of monosynaptic Ia excitatory post-synaptic potentials in the motor nucleus of the cat semimembranosus muscle. 379

KOMURO Hitoshi *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Early events in development of electrical activity and contraction in embryonic rat heart assessed by optical recording. 209

KUDO Norio & YAMADA Toshiya Development of the monosynaptic stretch reflex in the rat: an *in vitro* study. 127

KULIKOWSKI J.J. *see* CARDEN D., KULIKOWSKI J.J., MURRAY I.J. & PARRY N.R.A. Human occipital potentials evoked by the onset of equiluminant chromatic gratings. (C) 44*P*

KULLMANN D.M. *see* HARRISON P.J., JACK J.J.B. & KULLMANN D.M. Independence of quantal size recorded at the soma and synaptic location of descending monosynaptic excitatory postsynaptic potentials in cat spinal motoneurones. (C) 25*P*

KUMAR P. & NYE P.C.G. Apparatus and programs for studying the reflex ventilatory responses to computer-generated waveforms of pulmonary gas tension in the cat. (D) 20*P*

KUMAR P. & NYE P.C.G. Comparison of responses of cat carotid body chemoreceptors to oscillations of P_{CO_2}, P_{O_2} and asphyxia. (C) 146*P*

LAB Max J. *see* DILLY Stephen & LAB Max J. Is electrical alternans ubiquitous in myocardial ischaemia? Studies in anaesthetized pig. (C) 129*P*

LAKATTA E.G. *see* CAPOGROSSI M.C., LAKATTA E.G. & SPURGEON H.A. Spontaneous sarcoplasmic reticulum Ca^{2+} release limits the effect of Ca^{2+} to enhance twitch shortening in rat cardiac myocytes. (C) 81*P*

LAMB T.D. & MATTHEWS H.R. A precision microperfusion apparatus. (D) 4*P*

LAMB T.D., MATTHEWS H.R. & TORRE V. Rapid and delayed components in the response of salamander retinal rods to reduced external calcium. (C) 34*P*

LANG B., NEWSOM-DAVIS J. & WRAY D. Effect of Lambert-Eaton myasthenic syndrome antibody on mouse ventricular muscle. (C) 94*P*

LANG R.J. *see* AARONSON P.I., BOLTON T.B. & LANG R.J. Membrane currents in freshly-dispersed single smooth muscle cells of the rabbit ear artery. (C) 108*P*

LANNI A. *see* BARLETTA A., GOGLIA F., LANNI A. & LIVERINI G. Peroxisome and light mitochondrion biogenesis during cold adaptation. (PC) 193*P*

LARKMAN Alan *see* BLAKEMORE Colin, LARKMAN Alan, MASON Adrian & WHEAL Howard V. Application of the *in vitro* brain slice technique to the visual cortex of the rat: intracellular recording and ultrastructural analysis. (D) 21*P*

LARMET Y. *see* ABBOT N. Joan, LARMET Y. & PICHON Y. A giant axon preparation for the study of periaxonal ion regulation *in situ*; the squid *Alloteuthis*. (PC) 164*P*

LASEK R.J. & PAGGI Paola Axonal transport of cytoskeletal proteins in the chicken oculomotor system. (PC) 163*P*

LEA T.J. *see* ASHLEY C.C., GRIFFITHS P.J., LEA T.J. & TREGEAR R.T. Does inositol triphosphate induce tension development in skinned muscle fibres of barnacle and frog? (PC) 185*P*

LECHENE Patrick *see* BROCAS RANDOLPH Mireille, FISCHMEISTER Rodolphe, LECHENE Patrick & VASSORT Guy A dual effect of cardiac glycosides on Ca current in frog ventricular myocytes. (C) 91*P*

LEDERER W.J. *see* BERLIN J.R., CANNELL M.B. & LEDERER W.J. Regulation of twitch tension in sheep cardiac Purkinje fibres in calcium overload conditions. (C) 82*P*

LEDERER W.J. *see* CANNELL M.B., EISNER D.A., LEDERER W.J. & VALDEOLMILLOS M. The effects of membrane potential on intracellular Ca concentration in voltage-clamped sheep cardiac Purkinje fibres in Na-free solutions. (C) 90*P*

LEE B.B. *see* CLELAND B.G. & LEE B.B. A comparison of visual responses of cat lateral geniculate nucleus neurones with those of ganglion cells afferent to them. 249

LEE G., MILLS Ivor H., MORTIMER W., SPINELLI F. & WAKABAYASHI Y. Comparison of dose responses to atrial natriuretic factor (ANF) and human urinary natriuretic factor (UNF) in water loaded rats. (C) 123*P*

LEE W.L. *see* ANWYL R., LEE W.L. & ROWAN M. Effects of caffeine on transmitter release in CA1 of the rat hippocampal slice. (PC) 167*P*

LEES G.M. *see* KATAYAMA Y., LEES G.M. & PEARSON G.T. Electrophysiology and morphological characteristics of vasoactive intestinal peptide (VIP)-immunoreactive neurones in the isolated guinea-pig myenteric plexus. (C) 59*P*

LENZI P. *see* CIANCI T., FRANZINI C., GUIDALOTTI P.L. & LENZI P. Regional blood flows in the rabbit spinal cord during sleep. (C) 131*P*

LEUNG M.S. *see* CHENG-CHEW S.B., HAMANN W., LEUNG M.S. & TSANG D. The effects of Neomycin on the ultrastructure of touch corpuscles in rats and on cellular respiration. (C) 61*P*

LEVI A.J. *see* BOYETT M.R., HART G., LEVI A.J. & ROBERTS A. Biphasic changes of intracellular Na^+ activity (a^i_{Na}) in isolated sheep and dog Purkinje fibres. (C) 86*P*

LEWINTER M. *see* CONWAY J., LEWINTER M., SLEIGHT P. & SOMERS V.K. Post-exercise changes in blood pressure and baroreflex sensitivity in man. (C) 136*P*

LIGHTMAN S.L. *see* CARTER D.A. & LIGHTMAN S.L. Neonatal androgenization of female rats abolishes the sexual dimorphism of oxytocin responses to stress. (C) 119*P*

LIGHTMAN S.L., SECKL J.R. & WILLIAMS T.D.M. Oral hypertonic saline causes a transient fall in plasma vasopressin in man. (PC) 189*P*

LINDI C. *see* ESPOSITO G., FAELLI A., LINDI C., MARCIANI P. & ZOPPI S. The influence of age on D-glucose transport in rat jejunum. (C) 151*P*

LIVERINI G. *see* BARLETTA A., GOGLIA F., LANNI A. & LIVERINI G. Peroxisome and light mitochondrion biogenesis during cold adaptation. (PC) 193*P*

LONG S.K. & WHEAL H.V. A high-resolution data-capture and analysis system applied to intracellularly recorded synaptic potentials. (D) 6*P*

LORENZINI C. Ambrogi, BUCHERELLI C. & GIACHETTI A. Effects of illumination and detention on the exploratory behaviour of the rat. (PC) 172*P*

LOSANO G. *see* BASSO Marisa, GATTULLO Donatella, LOSANO G., SOARDO G.P. & VACCA G. Observations on the non-linear elastic properties of the aortic wall in the anaesthetized rabbit. (C) 141*P*

LOVE S. *see* BAKER M., BOSTOCK H., BROOK G.A. & LOVE S. *Phoneutria* and *Leiurus* venoms induce spontaneous compound action potentials in rat spinal roots. (C) 63*P*

LOVICK S.E. & NORMANTON J.R. A computerized stereotaxic atlas of the rat brain. (D) 16*P*

LOW J.C. *see* FITZKE F.W., HAYES B.P., HODOS W., HOLDEN A.L. & LOW J.C. Refractive sectors in the visual field of the pigeon eye. 33

LULY P. *see* BALDINI P., INCERPI S., LULY P. & VERNA R. Insulin responsiveness of human erythrocyte plasma membrane. (C) 112*P*

MACCARI E. *see* AMICI D., BRAMUCCI M., CODERONI S., GIANFRANCESCHI G.L., MACCARI E. & MIANO A. Homeostatic regulation of transcriptional process in mouse leukaemia cells by small chromatin peptides: molecular and cellular aspects. (C) 148*P*

MCCRAY J.A. *see* GOLDMAN Y.E., MCCRAY J.A. & RANATUNGA K.W. Temperature-jump, temperature-clamp experiments on glycerol-extracted muscle fibres from rabbit psoas muscle. (C) 73*P*

McCrohan C.R. *see* Girdlestone D., McCrohan C.R. & Winlow W. Effects of halothane on the giant serotonin-containing cerebral neurones of *Lymnaea*. (C) 56*P*

McDonald T.J. *see* Figueroa J.P., McDonald T.J., Nathanielsz P.W., Poore E.R. & Wentworth R.A. Circadian variation in myometrial activity in the chronically instrumented pregnant sheep at 120–130 days gestation. (C) 116*P*

Macfarlane D.J., Painter Rosemary & Pilsbury D.J. Measurement of respiratory variables in human studies. (D) 12*P*

McGeown J.G., McHale N.G., Roddie I.C. & Thornbury K.D. The effect of outflow pressure on lymph flow in popliteal efferent lymphatics in anaesthetized sheep. (C) 139*P*

McGregor K.H. *see* Challenger S., Hainsworth R. & McGregor K.H. Hind-limb vascular responses to changes in left ventricular pressure in dogs. (C) 135*P*

McHale N.G. *see* McGeown J.G., McHale N.G., Roddie I.C. & Thornbury K.D. The effect of outflow pressure on lymph flow in popliteal efferent lymphatics in anaesthetized sheep. (C) 139*P*

McIntyre A.K., Proske U. & Rawson J.A. Pathway to the cerebral cortex for impulses from tendon organs in the cat's hind limb. 115

MacLeod K.T. *see* Bers D.M. & MacLeod K.T. Cumulative extracellular Ca^{2+} depletions in ventricular muscle of rabbit heart. (C) 93*P*

MacLeod N.K. & Reinhardt W. Field potentials in the rabbit accessory olfactory bulb. (C) 53*P*

McWilliam P.N. *see* Bennett J.A., Goodchild C.S., Kidd C. & McWilliam P.N. Neurones in the brain stem of the cat excited by vagal afferent fibres from the heart and lungs. 1

McWilliam P.N. *see* Bennett J.A., McWilliam P.N. & Shepheard S.L. The effects of γ-aminobutyric acid and bicuculline on neurones in the nucleus tractus solitarius of the cat activated following electrical stimulation of the aortic nerve. (C) 51*P*

Maenz D. *see* Cheeseman C.I. & Maenz D. Induction of glucose transporter by hyperglycaemia in rat enterocyte basolateral membranes. (C) 152*P*

Maffei L. *see* Berardi N., Galli L., Maffei L. & Siliprandi R. Binocular suppression in cat cortical neurones. (C) 38*P*

Maffei L. *see* Berardi N., Bisti S., Maffei L. & Tacchi A. Microperfusion of noradrenaline in the visual cortex restores cortical plasticity in adult cats. (PC) 171*P*

Maggi R., Motta M. & Piva F. Effect of androgens on rat brain opioid receptors. (C) 67*P*

Mani R. *see* Cole J.D., Mani R. & Sedgewick E.M. Cutaneous vasomotor reflexes following spinal cord injury in man. (C) 134*P*

Mann G.E., Muñoz M. & Peran S. Starvation and refeeding modulate L-phenylalanine transport in the perfused rat exocrine pancreas. (C) 149*P*

Mann G.E. *see* Emery P.W., Mann G.E. & Smith S.A. Effects of starvation and diabetes mellitus on free amino acid concentrations in the exocrine pancreas and plasma of the rat. (PC) 196*P*

Marciani P. *see* Esposito G., Faelli A., Lindi C., Marciani P. & Zoppi S. The influence of age on D-glucose transport in rat jejunum. (C) 151*P*

Marsden C.D. *see* Benecke R., Day B.L., Dick J.P.R., Marsden C.D. & Rothwell J.C. Performance of various types of simultaneous movements in patients with Parkinson's disease. (C) 30*P*

Martino R. *see* Danieli-Betto Daniela, Martino R., Midrio M. & Velussi C. Calcium and hypertonicity on m.e.p.p. frequency and distribution in time. (PC) 165*P*

Mason A.C. *see* Keatinge W.R., Mason A.C., Millard C.E. & Newstead C.G. Effects of fluctuating skin temperatures on human thermoregulatory responses. (C) 161*P*

Mason Adrian *see* Blakemore Colin, Larkman Alan, Mason Adrian & Wheal Howard V. Application of the *in vitro* brain slice technique to the visual cortex of the rat: intracellular recording and ultrastructural analysis. (D) 21*P*

Mathers D.A. Pentobarbitone promotes burst-like openings of GABA-sensitive channels in the membrane of cultured mouse spinal cord neurones. (C) 50*P*

Mathias C.J. *see* Bannister R., da Costa D.F., Fosbraey P. & Mathias C.J. Exogenous insulin lowers blood pressure in autonomic failure. (C) 132*P*

Matteoli M. *see* Bertolacci L., Matteoli M. & Pellegrino M. Colchicine treatment is not equivalent to axotomy in inducing changes of excitability in the leech AP neurones. (PC) 162*P*

Matthews H.R. *see* Lamb T.D. & Matthews H.R. A precision microperfusion apparatus. (D) 4*P*

Matthews H.R. *see* Lamb T.D., Matthews H.R. & Torre V. Rapid and delayed components in the response of salamander retinal rods to reduced external calcium. (C) 34*P*

MATTHEWS P.B.C. & PICKUP C.M. Contrasting responses of the long flexor of the big toe to stretch and to vibration. (D) 14*P*

MATZIARI Chrisoula *see* FORSLING Mary L. & MATZIARI Chrisoula The effects of naloxone and haloperidol on the vasopressin response to a hypertonic stimulus in conscious rats. (C) 122*P*

MAZZANTI M. *see* DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Fast Na current inhibition by cations of group 2b in isolated guinea-pig and neonatal rat cardiac cells. (C) 87*P*

MEHTA N. *see* IYAWE V.I., JACOBI M.S., MEHTA N., PATIL C.P. & SAUNDERS K.B. The initial cardiac output response to voluntary hyperventilation in humans. (PC) (T) 197*P*

MERTON P.A. *see* BARKER A.T., FREESTON I.L., JALINOUS R., MERTON P.A. & MORTON H.B. Magnetic stimulation of the human brain. (D) 3*P*

MEVES H. & RUBLY N. Sodium tail currents at different post-pulse potentials in the voltage-clamped frog node of Ranvier. (C) 103*P*

MEYER C. *see* FREUND-MERCIER M.J., MEYER C. & RICHARD PH. Oxytocin and oxytocin cell background activity in suckled rats. (PC) 174*P*

MEYER G. *see* CREMASCHI D., JAMES P.S., MEYER G., ROSSETTI C. & SMITH M.W. Diet and temperature-induced changes in enterocyte membrane potential and K^+ activities in hamster jejunum. (C) 150*P*

MEYER G. *see* BOTTÀ G., CREMASHI D., MEYER G., PALESTINI P. & ROSSETTI C. Use of different inhibitors to study the co-transport systems of sodium chloride in the apical membrane of rabbit gall-bladder epithelial cells. (PC) 182*P*

MIANO A. *see* AMICI D., BRAMUCCI M., CODERONI S., GIANFRANCESCHI G.L., MACCARI E. & MIANO A. Homeostatic regulation of transcriptional process in mouse leukaemia cells by small chromatin peptides: molecular and cellular aspects. (C) 148*P*

MIDRIO M. *see* DANIELI-BETTO Daniela, MARTINO R., MIDRIO M. & VELUSSI C. Calcium and hypertonicity on m.e.p.p. frequency and distribution in time. (PC) 165*P*

MIHÁLYFI P. *see* BOLDOG I., FALUDI Judit, HORTOBÁGYI T. & MIHÁLYFI P. Effects of strength training on MVC, e.m.g. activity, and shortening speed of the quadriceps in man. (PC) 181*P*

MILEDI R. *see* EUSEBI F., MILEDI R., PARKER I. & STINNAKRE J. Post-synaptic calcium influx at the giant synapse of the squid during activation by glutamate. 183

MILLARD C.E. *see* KEATINGE W.R., MASON A.C., MILLARD C.E. & NEWSTEAD C.G. Effects of fluctuating skin temperatures on human thermoregulatory responses. (C) 161*P*

MILLER R.J. *see* DOCHERTY R.J. & MILLER R.J. Actions of 1,4-dihydropyridines on voltage-sensitive calcium current in neuroblastoma × glioma hybrid NG108 15 cells. (C) 69*P*

MILLERET C. *see* ASHTON J.A., BODDY A., DONALDSON I.M.L. & MILLERET C. Input from extraocular muscle afferents to the vestibular nuclear complex and the medullary reticular formation of the cat. (C) 46*P*

MILLS Ivor H. *see* LEE G., MILLS Ivor H., MORTIMER W., SPINELLI F. & WAKABAYASHI Y. Comparison of dose responses to atrial natriuretic factor (ANF) and human urinary natriuretic factor (UNF) in water loaded rats. (C) 123*P*

MINELLI R., POGGESI C., REGGIANI C. & TANZI F. Electrical and mechanical restitution in rat isolated cardiac papillary muscle during postnatal growth. (C) 83*P*

MISEROCCHI Giuseppe & NEGRINI Daniela Relative contribution of Starling and lymphatic flows during protein-rich hydrothorax reabsorption in anaesthetized rabbits. (C) 138*P*

MISSIAEN L. *see* CASTEELS R., DROOGMANS G. & MISSIAEN L. Modification by hormonal treatment of the agonist-induced ^{45}Ca release from the rat myometrium. (C) 96*P*

MOBBS P. *see* ATTWELL D., BREW H. & MOBBS P. Electrophysiology of the Müller cell network in the isolated axolotl retina. (C) 33*P*

MONGO K.G. Effects of Hexanol on electrical and mechanical activities of the frog atrium. (C) 77*P*

MONTAROLO P.G. *see* DE'SPERATI C., MONTAROLO P.G. & STRATA P. Inferior olive control of the dynamic responses of the medial vestibular neurones to labyrinthine stimulation in the rat. (C) 48*P*

MOORE W.M.O. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Sodium transfer across the *in vitro* pig placenta; effect of adrenaline. (C) 156*P*

MOORHOUSE S.R. *see* CUNNINGHAM V.J., HARGREAVES R.J., MOORHOUSE S.R., PELLING D. & WILTON Susanne Kinetics of glucose transport at regional level in the CNS of the anaesthetized rat. (PC) 176*P*

MOOS F. *see* BELIN V., MOOS F. & RICHARD PH. Synchronization and recruitment of paraventricular and supraoptic cells in suckled rats. (PC) 173*P*

MORGAN J.E. & THOMPSON I.D. The distribution of ipsilaterally projecting retinal ganglion cells in neonatal pigmented and albino ferrets. (C) 35*P*

MORGAN Kathleen G. *see* DEFEO Tia T. & MORGAN Kathleen G. Calcium–force relationships as detected with aequorin in two different vascular smooth muscles of the ferret. 269

MORTIMER W. *see* LEE G., MILLS Ivor H., MORTIMER W., SPINELLI F. & WAKABAYASHI Y. Comparison of dose responses to atrial natriuretic factor (ANF) and human urinary natriuretic factor (UNF) in water loaded rats. (C) 123*P*

MORTON H.B. *see* BARKER A.T., FREESTON I.L., JALINOUS R., MERTON P.A. & MORTON H.B. Magnetic stimulation of the human brain. (D) 3*P*

MOTTA M. *see* MAGGI R., MOTTA M. & PIVA F. Effect of androgens on rat brain opioid receptors. (C) 67*P*

MUÑOZ M. *see* MANN G.E., MUÑOZ M. & PERAN S. Starvation and refeeding modulate L-phenylalanine transport in the perfused rat exocrine pancreas. (C) 149*P*

MURPHY K. *see* ADAMS L., GUZ A., INNES J.A., MURPHY K. & SEMPLE S.J.G. Dynamics of the early ventilatory and circulatory responses to voluntary and electrically-induced exercise in man. (C) 142*P*

MURPHY P.C. *see* BURGES J.C., GRIEVE K.L., MURPHY P.C. & SILLITO A.M. Iontophoretically applied bicuculline reveals excitatory responses from the non-dominant eye receptive fields of cells in the A laminae of the cat dorsal lateral geniculate nucleus (dLGN). (C) 36*P*

MURRAY I.J. *see* CARDEN D., KULIKOWSKI J.J., MURRAY I.J. & PARRY N.R.A. Human occipital potentials evoked by the onset of equiluminant chromatic gratings. (C) 44*P*

NARDONE A. & SCHIEPPATI M. H-reflex inhibition precedes voluntary termination of motor activity in man. (C) 27*P*

NATHANIELSZ P.W. *see* FIGUEROA J.P., MCDONALD T.J., NATHANIELSZ P.W., POORE E.R. & WENTWORTH R.A. Circadian variation in myometrial activity in the chronically instrumented pregnant sheep at 120–130 days gestation. (C) 116*P*

NATHANIELSZ P.W. *see* BUTLER W.R., FIGUEROA J.P., FRANK D.A., GLEED R.D., NATHANIELSZ P.W. & POORE E.R. Myometrial electromyographic (e.m.g.) activity in the pregnant rhesus monkey following fetal surgery with or without maternal administration of the aromatase inhibitor 4-hydroxyandrostenedione (4-OHA). (PC) (T) 197*P*

NEGRINI Daniela *see* MISEROCCHI Giuseppe & NEGRINI Daniela Relative contribution of Starling and lymphatic flows during protein-rich hydrothorax reabsorption in anaesthetized rabbits. (C) 138*P*

NEGRINI Daniela & PISTOLESI Massimo Regional protein absorption rates from the pleural cavity in dogs. (C) 159*P*

NEHER E. *see* ALMERS W. & NEHER E. Ca^{2+}-induced membrane capacity changes in rat peritoneal mast cells. (C) 95*P*

NEWSOM-DAVIS J. *see* LANG B., NEWSOM-DAVIS J. & WRAY D. Effect of Lambert-Eaton myasthenic syndrome antibody on mouse ventricular muscle. (C) 94*P*

NEWSTEAD C.G. *see* KEATINGE W.R., MASON A.C., MILLARD C.E. & NEWSTEAD C.G. Effects of fluctuating skin temperatures on human thermoregulatory responses. (C) 161*P*

NICHOLS C.G. *see* JOHNSON I.R., NICHOLS C.G. & ROUSE W. Caffeine block of length-dependent activation in the isovolumic isolated dog heart. (C) 85*P*

NICHOLSON S.A. *see* ASLAM M., JONES M.T. & NICHOLSON S.A. Effect of repeated volleys of luteinizing hormone-releasing hormone (LHRH) on perifused rat pituitary glands removed on dioestrus or pro-oestrus. (C) 117*P*

NIEBAUER Mark & ZUCKER Irving H. Static and dynamic responses of carotid sinus baroreceptors in dogs with chronic volume overload. 295

NIEBEL W. *see* EYSSELEIN V.E., NIEBEL W. & SINGER M.V. Gastrin response to a meal before and after cutting the extrinsic nerves of the stomach in the dog. 355

NOBLE A.R. & PARKER Jane C. A role for kallikreins in converting enzyme inhibitor induced active and inactive renin release? Studies with enalapril and aprotinin in conscious sheep. (C) 137*P*

NOBLE D. *see* ARLOCK P. & NOBLE D. Two components of 'second inward current' in ferret papillary muscle. (C) 88*P*

NORDMANN J.J. *see* BICKNELL R.J., CAZALIS Monique, DAYANITHI G. & NORDMANN J.J. Calcium-dependence of hormone release from isolated neurohypophysial nerve endings (neurosecretosomes) of the rat. (PC) 166*P*

NORDMANN Jean J. *see* CAZALIS Monique, DAYANITHI Govindan & NORDMANN Jean J. The role of patterned burst and interburst interval on the excitation-coupling mechanism in the isolated rat neural lobe. 45

NORMANTON J.R. *see* LOVICK S.E. & NORMANTON J.R. A computerized stereotaxic atlas of the rat brain. (D) 16*P*

NUMAO Y. *see* GILBEY M.P., JORDAN D., NUMAO Y., SPYER K.M. & WOOD L.M. Respiratory modulation of cervical sympathetic preganglionic neurones in the anaesthetized rat. (C) 145*P*

NYE P.C.G. *see* KUMAR P. & NYE P.C.G. Apparatus and programs for studying the reflex ventilatory responses to computer-generated waveforms of pulmonary gas tension in the cat. (D) 20*P*

NYE P.C.G. *see* KUMAR P. & NYE P.C.G. Comparison of responses of cat carotid body chemoreceptors to oscillations of P_{CO_2}, P_{O_2} and asphyxia. (C) 146*P*

NYEKO C. *see* DURNIN C.J. , HEADLEY S.A., HOLLAND R.L., NYEKO C., RIDOUT S.S. & SAYERS J.A. Human core temperatures at various sites during rapid body heating. (PC) 194*P*

OETLIKER H. *see* HERMSMEYER K., HOWELL J., OETLIKER H. & UELTSCHI P. Effect of altered extracellular potassium and calcium on birefringence signal and twitch from isolated frog skeletal muscle fibres. (C) 79*P*

OGDEN D.C. *see* CAPIOD T. & OGDEN D.C. Noise analysis of a α-adrenergic activated K-conductance in isolated guinea-pig hepatocytes. (C) 107*P*

ORANI G.P. *see* DECANDIA M. & ORANI G.P. Reflex hyperventilation in relation to cardiovascular changes in cats. (C) 144*P*

ORTEU Catherine *see* CORBETT Melanie C., GARLAND C.J., GREENIDGE E., KEATINGE W.R., ORTEU Catherine, SALVAGE D & TATE Judith Pattern of response of smooth muscle of isolated bovine coronary arteries to a thromboxane A_2 analogue. (C) 140*P*

OSBORN C. *see* ASHLEY C.C., CASTELL L.M., OSBORN C., PRITCHARD K. & RAINE A.E.G. Applications of fluorescent Ca^{2+} indicators for the measurement of cytoplasmic free Ca^{2+} concentrations in platelets and lymphocytes. (D) 23*P*

OSBORNE N.N. *see* BOYD P.J., OSBORNE N.N. & WALKER R.J. Co-existence of 5-Hydroxytryptamine (5-HT) and a substance P-like peptide in nerve terminals in the heart of *Helix aspersa*, and the actions of 5-HT and substance P (SP) on cAMP production in the heart. (PC) 170*P*

OTTOLENGHI C. *see* BRIGHENTI L., GAVIOLI M.E., OTTOLENGHI C. & PUVIANI A.C. Epinephrine effects on glycogen-phosphorylase activity in catfish liver. (C) 157*P*

PAGGI Paola *see* LASEK R.J. & PAGGI Paola Axonal transport of cytoskeletal proteins in the chicken oculomotor system. (PC) 163*P*

PAINTER Rosemary *see* MACFARLANE D.J., PAINTER Rosemary & PILSBURY D.J. Measurement of respiratory variables in human studies. (D) 12*P*

PALESTINI P. *see* BOTTÀ G., CREMASHI D., MEYER G., PALESTINI P. & ROSSETTI C. Use of different inhibitors to study the co-transport systems of sodium chloride in the apical membrane of rabbit gall-bladder epithelial cells. (PC) 182*P*

PANTALEO T. Effects of superior laryngeal nerve stimulation on expiratory activity in cats. (C) 143*P*

PARKER I. *see* EUSEBI F., MILEDI R., PARKER I. & STINNAKRE J. Post-synaptic calcium influx at the giant synapse of the squid during activation by glutamate. 183

PARKER Jane C. *see* NOBLE A.R. & PARKER Jane C. A role for kallikreins in converting enzyme inhibitor induced active and inactive renin release? Studies with enalapril and aprotinin in conscious sheep. (C) 137*P*

PARMEGGIANI P.L. *see* AZZARONI A., CEVOLANI D., FERRARI G. & PARMEGGIANI P.L. Thermosensitive neurones during sleep in cats. (C) 60*P*

PARRY N.R.A. *see* CARDEN D., KULIKOWSKI J.J., MURRAY I.J. & PARRY N.R.A. Human occipital potentials evoked by the onset of equiluminant chromatic gratings. (C) 44*P*

PARSONS D.S. & SHAW M.I. The uptake of uric acid by brush border membrane vesicles and rings of mouse small intestine *in vitro*. (C) 153*P*

PATIL C.P. *see* IYAWE V.I., JACOBI M.S., MEHTA N., PATIL C.P. & SAUNDERS K.B. The initial cardiac output response to voluntary hyperventilation in humans. (PC) (T) 197*P*

PATON J.F.R. *see* BRADLEY D.J., GHELARDUCCI B., PATON J.F.R. & SPYER K.M. Cardiovascular responses to stimulation of the posterior cerebellum in anaesthetized rabbits. (C) 130*P*

PATON J.F.R. *see* BARRETT D.J., BRADLEY D.J. & PATON J.F.R. Afferent and efferent connexions of the uvula in the rabbit. (PC) 178*P*

PEARSON G.T. *see* KATAYAMA Y., LEES G.M. & PEARSON G.T. Electrophysiology and morphological characteristics of vasoactive intestinal peptide (VIP)-immunoreactive neurones in the isolated guinea-pig myenteric plexus. (C) 59*P*

PELLEGRINO M. *see* BERTOLACCI L., MATTEOLI M. & PELLEGRINO M. Colchicine treatment is not equivalent to axotomy in inducing changes of excitability in the leech AP neurones. (PC) 162*P*

PELLING D. *see* CUNNINGHAM V.J., HARGREAVES R.J., MOORHOUSE S.R., PELLING D. & WILTON Susanne Kinetics of glucose transport at regional level in the CNS of the anaesthetized rat. (PC) 176*P*

PERAN S. *see* MANN G.E., MUÑOZ M. & PERAN S. Starvation and refeeding modulate L-phenylalanine transport in the perfused rat exocrine pancreas. (C) 149*P*

PERES A. Measurements of membrane capacity in *Xenopus* eggs. (C) 105*P*

PETERSEN O.H. *see* DUNNE M.J., FINDLAY I. & PETERSEN O.H Three distinct potassium channels in cultured rat pancreatic islet cells. (C) 100*P*

PETIT J. *see* JAMI Léna, PETIT J. & SCOTT J.J.A. Activation of cat muscle spindles by static skeletofusimotor axons. 323

PETTOROSSI V.E. *see* BARMACK N.H., DRAICCHIO F., ERICO P., FERRARESI A. & PETTOROSSI V.E. Characteristics of the combination of the vestibulo- and cervico-ocular reflexes in the control of rabbit eye movements. (C) 47*P*

PICHON Y. *see* ABBOT N. Joan, LARMET Y. & PICHON Y. A giant axon preparation for the study of periaxonal ion regulation *in situ*; the squid *Alloteuthis*. (PC) 164*P*

PICKLES V.R. 'Minimath control theory': notes for physiology students. (D) 24*P*

PICKUP C.M. *see* MATTHEWS P.B.C. & PICKUP C.M. Contrasting responses of the long flexor of the big toe to stretch and to vibration. (D) 14*P*

PILSBURY D.J. *see* MACFARLANE D.J., PAINTER Rosemary & PILSBURY D.J. Measurement of respiratory variables in human studies. (D) 12*P*

PISTOLESI Massimo *see* NEGRINI Daniela & PISTOLESI Massimo Regional protein absorption rates from the pleural cavity in dogs. (C) 159*P*

PIVA F. *see* MAGGI R., MOTTA M. & PIVA F. Effect of androgens on rat brain opioid receptors. (C) 67*P*

POGGESI C. *see* MINELLI R., POGGESI C., REGGIANI C. & TANZI F. Electrical and mechanical restitution in rat isolated cardiac papillary muscle during postnatal growth. (C) 83*P*

POORE E.R. *see* FIGUEROA J.P., MCDONALD T.J., NATHANIELSZ P.W., POORE E.R. & WENTWORTH R.A. Circadian variation in myometrial activity in the chronically instrumented pregnant sheep at 120–130 days gestation. (C) 116*P*

POORE E.R. *see* BUTLER W.R., FIGUEROA J.P., FRANK D.A., GLEED R.D., NATHANIELSZ P.W. & POORE E.R. Myometrial electromyographic (e.m.g.) activity in the pregnant rhesus monkey following fetal surgery with or without maternal administration of the aromatase inhibitor 4-hydroxyandrostenedione (4-OHA). (PC) (T) 197*P*

PRATT O.E. *see* GREENWOOD J. & PRATT O.E. Comparison of the effects of some thiamine analogues upon thiamine transport across the blood–brain barrier of the rat. 79

PRESTON M.J. *see* HOWARD M.K., PRESTON M.J. & VAUGHAN-JONES R.D. A foot-pedal operated focusing device suitable for use with a class-dissection microscope. (D) 10*P*

PRICE David J. The development of orientation-selectivity in area 18 of the visual cortex in normal and dark-reared kittens. (C) 39*P*

PRITCHARD K. *see* ASHLEY C.C., CASTELL L.M., OSBORN C., PRITCHARD K. & RAINE A.E.G. Applications of fluorescent Ca^{2+} indicators for the measurement of cytoplasmic free Ca^{2+} concentrations in platelets and lymphocytes. (D) 23*P*

PROCTOR E. *see* COX I.J., GADIAN D.G., GARDINER R.M., PROCTOR E. & WILLIAMS S.R. Measurement of brain histidine *in vivo* by 1H-NMR spectroscopy in the mutant histidinaemic mouse. (C) 65*P*

PROSKE U. *see* MCINTYRE A.K., PROSKE U. & RAWSON J.A. Pathway to the cerebral cortex for impulses from tendon organs in the cat's hind limb. 115

PUVIANI A.C. *see* BRIGHENTI L., GAVIOLI M.E., OTTOLENGHI C. & PUVIANI A.C. Epinephrine effects on glycogen-phosphorylase activity in catfish liver. (C) 157*P*

QUINLAN J. *see* DAVIES J. & QUINLAN J. Direct and indirect effects of excitatory amino acids on rat cerebellar Purkinje cells, *in vivo*. (PC) 177*P*

RAINE A.E.G. *see* ASHLEY C.C., CASTELL L.M., OSBORN C., PRITCHARD K. & RAINE A.E.G. Applications of fluorescent Ca^{2+} indicators for the measurement of cytoplasmic free Ca^{2+} concentrations in platelets and lymphocytes. (D) 23*P*

RANATUNGA K.W. *see* GOLDMAN Y.E., MCCRAY J.A. & RANATUNGA K.W. Temperature-jump, temperature-clamp experiments on glycerol-extracted muscle fibres from rabbit psoas muscle. (C) 73*P*

RANSNÄS L. *see* GJÖRSTRUP P., HÄRDING Helena, JACOBSSON B. & RANSNÄS L. On the positive inotropic response of muscarinic receptor stimulation in feline papillary muscle *in vitro*. (C) 84*P*

RAWSON J.A. *see* MCINTYRE A.K., PROSKE U. & RAWSON J.A. Pathway to the cerebral cortex for impulses from tendon organs in the cat's hind limb. 115

RAYBOULD Helen E. *see* CAREY F., HAWORTH D., RAYBOULD Helen E. & RUSSELL N.J.W. Pulmonary chemoreflexes induced by metabolites of arachidonic acid in the anaesthetised rabbit. (PC) 191*P*

REGGIANI C. *see* MINELLI R., POGGESI C., REGGIANI C. & TANZI F. Electrical and mechanical restitution in rat isolated cardiac papillary muscle during postnatal growth. (C) 83*P*

REINHARDT W. *see* MACLEOD N.K. & REINHARDT W. Field potentials in the rabbit accessory olfactory bulb. (C) 53*P*

REYNOLDS G.T. *see* ASHLEY C.C., GODBER J.F., REYNOLDS G.T. & WALTON A. Single fura-2 loaded barnacle muscle fibres studied under voltage clamp using image intensification techniques. (D) 22*P*

RICHARD PH. *see* BELIN V., MOOS F. & RICHARD PH. Synchronization and recruitment of paraventricular and supraoptic cells in suckled rats. (PC) 173*P*

RICHARD PH. *see* FREUND-MERCIER M.J., MEYER C. & RICHARD PH. Oxytocin and oxytocin cell background activity in suckled rats. (PC) 174*P*

RIDDELL P.M. *see* FOWLER M.S., RIDDELL P.M. & STEIN J.F. Vergence eye movements in normal and dyslexic children. (C) 41*P*

RIDOUT S.S. *see* DURNIN C.J. , HEADLEY S.A., HOLLAND R.L., NYEKO C., RIDOUT S.S. & SAYERS J.A. Human core temperatures at various sites during rapid body heating. (PC) 194*P*

RINK T.J. & SAGE S.O. Stopped-flow fluorescence measurements of fura-2 loaded human platelets. (C) 115*P*

ROBERTS A. *see* BOYETT M.R., HART G., LEVI A.J. & ROBERTS A. Biphasic changes of intracellular Na^+ activity (a^i_{Na}) in isolated sheep and dog Purkinje fibres. (C) 86*P*

ROBINSON I.C.A.F. *see* DASHWOOD M.R. & ROBINSON I.C.A.F. Autoradiographic localization of [^{3}H]vasopressin binding sites in Brattoeboro and Long-Evans rats. (C) 126*P*

ROBINSON J.P. & TOMLINSON D.R. Impaired axonal transport of choline-containing lipids in rats with experimental diabetes mellitus and its prevention by sorbinil, an aldose reductase inhibitor. (C) 158*P*

RODDIE I.C. *see* MCGEOWN J.G., MCHALE N.G., RODDIE I.C. & THORNBURY K.D. The effect of outflow pressure on lymph flow in popliteal efferent lymphatics in anaesthetized sheep. (C) 139*P*

ROSSETTI C. *see* CREMASCHI D., JAMES P.S., MEYER G., ROSSETTI C. & SMITH M.W. Diet and temperature-induced changes in enterocyte membrane potential and K^+ activities in hamster jejunum. (C) 150*P*

ROSSETTI C. *see* BOTTÀ G., CREMASHI D., MEYER G., PALESTINI P. & ROSSETTI C. Use of different inhibitors to study the co-transport systems of sodium chloride in the apical membrane of rabbit gall-bladder epithelial cells. (PC) 182*P*

ROTHWELL J.C. *see* BENECKE R., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Performance of various types of simultaneous movements in patients with Parkinson's disease. (C) 30*P*

ROULET M.J. *see* GARNIER D. & ROULET M.J. Is pH_i involved in the temperature-sensitivity of the oxygen-mediated response in the smooth muscle of guinea-pig ductus arteriosus? (C) 74*P*

ROUSE W. *see* JOHNSON I.R., NICHOLS C.G. & ROUSE W. Caffeine block of length-dependent activation in the isovolumic isolated dog heart. (C) 85*P*

ROWAN M. *see* ANWYL R., LEE W.L. & ROWAN M. Effects of caffeine on transmitter release in CAI of the rat hippocampal slice. (PC) 167*P*

RUBLY N. *see* MEVES H. & RUBLY N. Sodium tail currents at different post-pulse potentials in the voltage-clamped frog node of Ranvier. (C) 103*P*

RUNNALLS M.E. *see* FORSLING Mary L. & RUNNALLS M.E. Method for recording patterns of drinking in the conscious rat. (D) 17*P*

RUSSELL N.J.W. *see* CAREY F., HAWORTH D., RAYBOULD Helen E. & RUSSELL N.J.W. Pulmonary chemoreflexes induced by metabolites of arachidonic acid in the anaesthetised rabbit. (PC) 191*P*

RUZZIER Fabio & SCUKA Maria The sensitivity of acetylcholine receptors during prolonged neuromuscular activity in the frog. (C) 104*P*

SAGE S.O. *see* RINK T.J. & SAGE S.O. Stopped-flow fluorescence measurements of fura-2 loaded human platelets. (C) 115*P*

SAKAI Tetsuro *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Early events in development of electrical activity and contraction in embryonic rat heart assessed by optical recording. 209

SAKMANN B. *see* COLQUHOUN D. & SAKMANN B. Fast events in single-channel currents activated by acetylcholine and its analogues at the frog muscle end-plate. 501

SALVAGE D *see* CORBETT Melanie C., GARLAND C.J., GREENIDGE E., KEATINGE W.R., ORTEU Catherine, SALVAGE D & TATE Judith Pattern of response of smooth muscle of isolated bovine coronary arteries to a thromboxane A_2 analogue. (C) 140*P*

SANCHEZ Ana *see* COLLAZOS J.M. & SANCHEZ Ana cAMP reduces Ca^{2+} affinity of platelet secretory mechanism. (C) 114*P*

SANDERS Kenton M. *see* BAUER Anthony J. & SANDERS Kenton M. Gradient in excitation–contraction coupling in canine gastric antral circular muscle. 283

SARGEANT A.J. *see* CREIG C., HORTOBÁGYI T. & SARGEANT A.J. Quadriceps surface e.m.g. and fatigue during maximal dynamic exercise in man. (PC) 180*P*

SAUNDERS K.B. *see* IYAWE V.I., JACOBI M.S., MEHTA N., PATIL C.P. & SAUNDERS K.B. The initial cardiac output response to voluntary hyperventilation in humans. (PC) (T) 197*P*

SAYERS J.A. *see* DURNIN C.J. , HEADLEY S.A., HOLLAND R.L., NYEKO C., RIDOUT S.S. & SAYERS J.A. Human core temperatures at various sites during rapid body heating. (PC) 194*P*

SCAPIN Sergio Regulation of tyrosine aminotransferase in frog (*Rana esculenta*) liver. (PC) 192*P*

SCHIEPPATI M. *see* NARDONE A. & SCHIEPPATI M. H-reflex inhibition precedes voluntary termination of motor activity in man. (C) 27*P*

SCHOR C.M. & WESTALL Carol A. The effect of hemiretinal stimulation on optokinetic asymmetries in human amblyopia. (C) 42*P*

SCOTT J.J.A. *see* JAMI Léna, PETIT J. & SCOTT J.J.A. Activation of cat muscle spindles by static skeletofusimotor axons. 323

SCUKA Maria *see* RUZZIER Fabio & SCUKA Maria The sensitivity of acetylcholine receptors during prolonged neuromuscular activity in the frog. (C) 104*P*

SECKL J.R. *see* LIGHTMAN S.L., SECKL J.R. & WILLIAMS T.D.M. Oral hypertonic saline causes a transient fall in plasma vasopressin in man. (PC) 189*P*

SEDGEWICK E.M. *see* COLE J.D., MANI R. & SEDGEWICK E.M. Cutaneous vasomotor reflexes following spinal cord injury in man. (C) 134*P*

SEMPLE S.J.G. *see* ADAMS L., GUZ A., INNES J.A., MURPHY K. & SEMPLE S.J.G. Dynamics of the early ventilatory and circulatory responses to voluntary and electrically-induced exercise in man. (C) 142*P*

SHAW M.I. *see* PARSONS D.S. & SHAW M.I. The uptake of uric acid by brush border membrane vesicles and rings of mouse small intestine *in vitro*. (C) 153*P*

SHEEHY Paul A. *see* GALLIN Elaine K. & SHEEHY Paul A. Differential expression of inward and outward potassium currents in the macrophage-like cell line J774.1. 475

SHEPHEARD S.L. *see* BENNETT J.A., MCWILLIAM P.N. & SHEPHEARD S.L. The effects of γ-aminobutyric acid and bicuculline on neurones in the nucleus tractus solitarius of the cat activated following electrical stimulation of the aortic nerve. (C) 51*P*

SHIPP S. & ZEKI S. Segregated output to area V5 from layer 4B of macaque monkey striate cortex. (C) 32*P*

SHIRLEY D.G. & WALKER J. Changes in vascular resistance following haemorrhage in the rat. (C) 133*P*

SHRIER A. *see* COOPER E. & SHRIER A. Single-channel analysis of fast transient potassium currents from rat nodose neurones. 199

SIBLEY C.P. *see* BERHE A., HARKES A. & SIBLEY C.P. Effect of molecular charge on guinea-pig placenta permeability: quantitative measurements using horseradish peroxidase (HRP). (C) 155*P*

SIBLEY C.P. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Sodium transfer across the *in vitro* pig placenta; effect of adrenaline. (C) 156*P*

SIEGL P.K.S. *see* HADLEY R.W., HUME J.R., KACZOROWSKI G.J., SIEGL P.K.S. & VASSILEV P.M. Block of 'creep currents' in single frog atrial cells by vesicular Na/Ca-exchange inhibitors. (C) 89*P*

SILIPRANDI R. *see* BERARDI N., GALLI L., MAFFEI L. & SILIPRANDI R. Binocular suppression in cat cortical neurones. (C) 38*P*

SILLITO A.M. *see* BURGES J.C., GRIEVE K.L., MURPHY P.C. & SILLITO A.M. Iontophoretically applied bicuculline reveals excitatory responses from the non-dominant eye receptive fields of cells in the A laminae of the cat dorsal lateral geniculate nucleus (dLGN). (C) 36*P*

SINGER M.V. *see* EYSSELEIN V.E., NIEBEL W. & SINGER M.V. Gastrin response to a meal before and after cutting the extrinsic nerves of the stomach in the dog. 355

SLEIGHT P. *see* CONWAY J., LEWINTER M., SLEIGHT P. & SOMERS V.K. Post-exercise changes in blood pressure and baroreflex sensitivity in man. (C) 136*P*

SMITH F.W. *see* HAYES P.A., SMITH F.W. & SOWOOD P.J. Distribution and quantitation of human body fat using nuclear magnetic resonance (NMR) imaging: comparison with a skinfold calliper method. (C) 160*P*

SMITH G.L. *see* ALLEN D.G. & SMITH G.L. Intracellular calcium in metabolically-depleted ferret ventricular muscle during exposure to cyanide and its removal. (C) 92*P*

SMITH M.W. *see* CREMASCHI D., JAMES P.S., MEYER G., ROSSETTI C. & SMITH M.W. Diet and temperature-induced changes in enterocyte membrane potential and K^+ activities in hamster jejunum. (C) 150*P*

SMITH S.A. *see* EMERY P.W., MANN G.E. & SMITH S.A. Effects of starvation and diabetes mellitus on free amino acid concentrations in the exocrine pancreas and plasma of the rat. (PC) 196*P*

SOARDO G.P. *see* BASSO Marisa, GATTULLO Donatella, LOSANO G., SOARDO G.P. & VACCA G. Observations on the non-linear elastic properties of the aortic wall in the anaesthetized rabbit. (C) 141*P*

SOMERS V.K. *see* CONWAY J., LEWINTER M., SLEIGHT P. & SOMERS V.K. Post-exercise changes in blood pressure and baroreflex sensitivity in man. (C) 136*P*

SOMJEN G. *see* ELIAS S.A., SOMJEN G. & TAYLOR A. Evidence for a direct projection of periodontal afferents to the cerebellar cortex in the ferret. (C) 52*P*

SOWOOD P.J. *see* HAYES P.A., SMITH F.W. & SOWOOD P.J. Distribution and quantitation of human body fat using nuclear magnetic resonance (NMR) imaging: comparison with a skinfold calliper method. (C) 160*P*

SPENCER P.M. *see* BAGUST J., SPENCER P.M. & WHEAL H.V. An automated system for the analysis of evoked extracellular potentials recorded from the hippocampus. (D) 7*P*

SPERTI L. *see* BARTESAGHI R. & SPERTI L. Synaptic organization of the longitudinal association path of the guinea-pig hippocampus. (C) 54*P*

SPINELLI F. *see* LEE G., MILLS Ivor H., MORTIMER W., SPINELLI F. & WAKABAYASHI Y. Comparison of dose responses to atrial natriuretic factor (ANF) and human urinary natriuretic factor (UNF) in water loaded rats. (C) 123*P*

SPRUCE A.E., STANDEN N.B. & STANFIELD P.R. A simple means of maintaining very low rates of solution flow for use in recording from excised membrane patches. (D) 11*P*

SPURGEON H.A. *see* CAPOGROSSI M.C., LAKATTA E.G. & SPURGEON H.A. Spontaneous sarcosplasmic reticulum Ca^{2+} release limits the effect of Ca^{2+} to enhance twitch shortening in rat cardiac myocytes. (C) 81*P*

SPYER K.M. *see* BRADLEY D.J., GHELARDUCCI B., PATON J.F.R. & SPYER K.M. Cardiovascular responses to stimulation of the posterior cerebellum in anaesthetized rabbits. (C) 130*P*

SPYER K.M. *see* GILBEY M.P., JORDAN D., NUMAO Y., SPYER K.M. & WOOD L.M. Respiratory modulation of cervical sympathetic preganglionic neurones in the anaesthetized rat. (C) 145*P*

STANDEN N.B. *see* SPRUCE A.E., STANDEN N.B. & STANFIELD P.R. A simple means of maintaining very low rates of solution flow for use in recording from excised membrane patches. (D) 11*P*

STANFIELD P.R. *see* SPRUCE A.E., STANDEN N.B. & STANFIELD P.R. A simple means of maintaining very low rates of solution flow for use in recording from excised membrane patches. (D) 11*P*

STANFORD Clare *see* ANDERSON Shelagh M.P., FILLENZ Marianne & STANFORD Clare The effect of chronic, mild stress on monoamine synthesis rate in rat cortical synaptosomes. (C) 68*P*

STEIN J.F. *see* FOWLER M.S., RIDDELL P.M. & STEIN J.F. Vergence eye movements in normal and dyslexic children. (C) 41*P*

STEPHENS J.A. *see* DATTA A.K., FLEMING Jean R. & STEPHENS J.A. The effect of stroke on synchronization of human motor unit firing in large flexor and extensor muscles in the leg and a small hand muscle. (C) 29*P*

STEPHENS J.A. *see* BREMNER F.D. & STEPHENS J.A. Reflex responses in human forearm finger flexor and extensor muscles produced by digital nerve stimulation. (C) 31*P*

STINNAKRE J. *see* EUSEBI F., MILEDI R., PARKER I. & STINNAKRE J. Post-synaptic calcium influx at the giant synapse of the squid during activation by glutamate. 183

STOCKLEY E. *see* BROWN A.D., STOCKLEY E. & WHEAL H.V. A program to aid the investigation of the branching properties of dendrites. (D) 5*P*

STRATA P. *see* DE'SPERATI C., MONTAROLO P.G. & STRATA P. Inferior olive control of the dynamic responses of the medial vestibular neurones to labyrinthine stimulation in the rat. (C) 48*P*

STUART Douglas G. *see* HAMM Thomas M., KOEHLER Walther, STUART Douglas G. & VANDEN NOVEN Sharyn Partitioning of monosynaptic Ia excitatory post-synaptic potentials in the motor nucleus of the cat semimembranosus muscle. 379

TACCHI A. *see* BERARDI N., BISTI S., MAFFEI L. & TACCHI A. Microperfusion of noradrenaline in the visual cortex restores cortical plasticity in adult cats. (PC) 171*P*

TAKEDA K. *see* ADAMS D.J., TAKEDA K. & UMBACH J.A. Inhibitors of calcium buffering depress evoked transmitter release at the squid giant synapse. 145

TANZI F. *see* MINELLI R., POGGESI C., REGGIANI C. & TANZI F. Electrical and mechanical restitution in rat isolated cardiac papillary muscle during postnatal growth. (C) 83*P*

TATE Judith *see* CORBETT Melanie C., GARLAND C.J., GREENIDGE E., KEATINGE W.R., ORTEU Catherine, SALVAGE D & TATE Judith Pattern of response of smooth muscle of isolated bovine coronary arteries to a thromboxane A_2 analogue. (C) 140*P*

TAYLOR A. *see* ELIAS S.A., SOMJEN G. & TAYLOR A. Evidence for a direct projection of periodontal afferents to the cerebellar cortex in the ferret. (C) 52*P*

TERAKAWA Susumu Potential-dependent variations of the intracellular pressure in the intracellularly perfused squid giant axon. 229

THOMAS M.V. & TIMMERMAN M.P. Simultaneous measurement of fura-2 fluorescence changes at several excitation wavelengths in voltage-clamped *Balanus nubilus* single muscle fibres using a pulsed-wavelength microspectrophotometer. (D) 19*P*

THOMPSON C.S. *see* DEBNAM E.S. & THOMPSON C.S. Effect of starvation on the localization of valine uptake by the rat small intestine. (PC) 195*P*

THOMPSON I.D. *see* MORGAN J.E. & THOMPSON I.D. The distribution of ipsilaterally projecting retinal ganglion cells in neonatal pigmented and albino ferrets. (C) 35*P*

THOMSON Alex M. Intracellular recordings from slices of rat cerebral cortex. (D) 24*P*

THORNBURY K.D. *see* MCGEOWN J.G., MCHALE N.G., RODDIE I.C. & THORNBURY K.D. The effect of outflow pressure on lymph flow in popliteal efferent lymphatics in anaesthetized sheep. (C) 139*P*

TIMMERMAN M.P. *see* THOMAS M.V. & TIMMERMAN M.P. Simultaneous measurement of fura-2 fluorescence changes at several excitation wavelengths in voltage-clamped *Balanus nubilus* single muscle fibres using a pulsed-wavelength microspectrophotometer. (D) 19*P*

TOMLINSON D.R. *see* ROBINSON J.P. & TOMLINSON D.R. Impaired axonal transport of choline-containing lipids in rats with experimental diabetes mellitus and its prevention by sorbinil, an aldose reductase inhibitor. (C) 158*P*

TORRE V. *see* LAMB T.D., MATTHEWS H.R. & TORRE V. Rapid and delayed components in the response of salamander retinal rods to reduced external calcium. (C) 34*P*

TRAINA G. *see* BRUNELLI M., DEMONTIS G. & TRAINA G. Modulation of an electrogenic pump as a mechanism of synaptic plasticity in leech ganglia. (C) 110*P*

TREGEAR R.T. Mechanical properties of glycerol-extracted rabbit striated muscle fibres at temperatures below 0 °C. (C) 70*P*

TREGEAR R.T. *see* ASHLEY C.C., GRIFFITHS P.J., LEA T.J. & TREGEAR R.T. Does inositol triphosphate induce tension development in skinned muscle fibres of barnacle and frog? (PC) 185*P*

TRENCHARD D. Apparent H^+/CO_2 sensitivity of non-myelinated vagal afferent endings adjacent to the pulmonary circulation of anaesthetized rabbits. (C) 147*P*

TROMBA C. *see* DIFRANCESCO D., FERRONI A., MAZZANTI M. & TROMBA C. Fast Na current inhibition by cations of group 2b in isolated guinea-pig and neonatal rat cardiac cells. (C) 87*P*

TSANG D. *see* CHENG-CHEW S.B., HAMANN W., LEUNG M.S. & TSANG D. The effects of Neomycin on the ultrastructure of touch corpuscles in rats and on cellular respiration. (C) 61*P*

UELTSCHI P. *see* HERMSMEYER K., HOWELL J., OETLIKER H. & UELTSCHI P. Effect of altered extracellular potassium and calcium on birefringence signal and twitch from isolated frog skeletal muscle fibres. (C) 79*P*

UMBACH J.A. *see* ADAMS D.J., TAKEDA K. & UMBACH J.A. Inhibitors of calcium buffering depress evoked transmitter release at the squid giant synapse. 145

VACCA G. *see* BASSO Marisa, GATTULLO Donatella, LOSANO G., SOARDO G.P. & VACCA G. Observations on the non-linear elastic properties of the aortic wall in the anaesthetized rabbit. (C) 141*P*

VALDEOLMILLOS M. *see* CANNELL M.B., EISNER D.A., LEDERER W.J. & VALDEOLMILLOS M. The effects of membrane potential on intracellular Ca concentration in voltage-clamped sheep cardiac Purkinje fibres in Na-free solutions. (C) 90*P*

VALENTE M. *see* DE LEO T., DI MAIO V., DI MEO S. & VALENTE M. Effect of thyroid state on the heart mitochondria in the rat. (PC) 187*P*

VANDEN NOVEN Sharyn *see* HAMM Thomas M., KOEHLER Walther, STUART Douglas G. & VANDEN NOVEN Sharyn Partitioning of monosynaptic Ia excitatory post-synaptic potentials in the motor nucleus of the cat semimembranosus muscle. 379

VASSILEV P.M. *see* HADLEY R.W., HUME J.R., KACZOROWSKI G.J., SIEGL P.K.S. & VASSILEV P.M. Block of 'creep currents' in single frog atrial cells by vesicular Na/Ca-exchange inhibitors. (C) 89*P*

VASSORT G. & VENTURA-CLAPIER Renée The effects of creatine phosphate, ATP and ADP on mechanical properties of chemically 'skinned' rat papillary muscles. (C) 76*P*

VASSORT Guy *see* BROCASRANDOLPH Mireille, FISCHMEISTER Rodolphe, LECHENE Patrick & VASSORT Guy A dual effect of cardiac glycosides on Ca current in frog ventricular myocytes. (C) 91*P*

VAUGHAN-JONES R.D. *see* KAILA K. & VAUGHAN-JONES R.D. Simultaneous measurement of intracellular ion activities and tension in voltage-clamped sheep cardiac Purkinje fibres. (D) 9*P*

VAUGHAN-JONES R.D. *see* HOWARD M.K., PRESTON M.J. & VAUGHAN-JONES R.D. A foot-pedal operated focusing device suitable for use with a class-dissection microscope. (D) 10*P*

VAUGHAN-JONES R.D. *see* KAILA K. & VAUGHAN-JONES R.D. The effect of amiloride on intracellular sodium, intracellular pH and tension in voltage-clamped sheep cardiac Purkinje fibres. (C) 78*P*

VELUSSI C. *see* DANIELI-BETTO Daniela, MARTINO R., MIDRIO M. & VELUSSI C. Calcium and hypertonicity on m.e.p.p. frequency and distribution in time. (PC) 165*P*

VENTURA-CLAPIER Renée *see* VASSORT G. & VENTURA-CLAPIER Renée The effects of creatine phosphate, ATP and ADP on mechanical properties of chemically 'skinned' rat papillary muscles. (C) 76*P*

VERNA R. *see* BALDINI P., INCERPI S., LULY P. & VERNA R. Insulin responsiveness of human erythrocyte plasma membrane. (C) 112*P*

VOIPIO J. *see* KAILA K. & VOIPIO J. A simple method for dry bevelling of micropipettes used in the construction of ion-selective micro-electrodes. (D) 8*P*

WADE A.J. Didactic utility programs in respiratory physiology. (D) 18*P*

WAKABAYASHI Y. *see* LEE G., MILLS Ivor H., MORTIMER W., SPINELLI F. & WAKABAYASHI Y. Comparison of dose responses to atrial natriuretic factor (ANF) and human urinary natriuretic factor (UNF) in water loaded rats. (C) 123*P*

WAKSMAN A. *see* BURGUN C., GREENFIELD Susan A., WAKSMAN A. & WESTON Jane Differential effects of cholinergic agonists on acetylcholinesterase release from the rat substantia nigra *in vivo*. (C) 66*P*

WALKER J. *see* SHIRLEY D.G. & WALKER J. Changes in vascular resistance following haemorrhage in the rat. (C) 133*P*

WALKER R.J. *see* BOYD P.J., OSBORNE N.N. & WALKER R.J. Co-existence of 5-Hydroxytryptamine (5-HT) and a substance P-like peptide in nerve terminals in the heart of *Helix aspersa*, and the actions of 5-HT and substance P (SP) on cAMP production in the heart. (PC) 170*P*

WALL P.D. & WOOLF C.J. Noxious stimulus-evoked increases in the excitability of the flexor reflex in the decerebrate-spinal rat. (C) 28*P*

WALTON A. *see* ASHLEY C.C., GODBER J.F., REYNOLDS G.T. & WALTON A. Single fura-2 loaded barnacle muscle fibres studied under voltage clamp using image intensification techniques. (D) 22*P*

WARD B.S. *see* BOYD R.D.H., GLAZIER J.D., MOORE W.M.O., SIBLEY C.P. & WARD B.S. Sodium transfer across the *in vitro* pig placenta; effect of adrenaline. (C) 156*P*

WARD K.M. & WAREHAM A.C. Effect of denervation during development of the Sprague–Dawley rat upon ^{3}H-oubain binding by skeletal muscles. (C) 58*P*

WARDLEY-SMITH Bridget *see* HALSEY M.J., HAWLEY Diane & WARDLEY-SMITH Bridget Does decompression cause the hyperbaric-induced subfertility observed in male mice? (C) 120*P*

WAREHAM A.C. *see* WARD K.M. & WAREHAM A.C. Effect of denervation during development of the Sprague–Dawley rat upon ^{3}H-oubain binding by skeletal muscles. (C) 58*P*

WATERS L. *see* BROWN Hilary & WATERS L. The heart of the terrapin: a first-year teaching video with pen-recorder output. (D) 24*P*

WENTWORTH R.A. *see* FIGUEROA J.P., MCDONALD T.J., NATHANIELSZ P.W., POORE E.R. & WENTWORTH R.A. Circadian variation in myometrial activity in the chronically instrumented pregnant sheep at 120–130 days gestation. (C) 116*P*

WEST D.C. *see* FRASER M.J., HEADLEY P.M. & WEST D.C. Linking an averager unit to a BBC microcomputer. (D) 15*P*

WESTALL Carol A. *see* SCHOR C.M. & WESTALL Carol A. The effect of hemiretinal stimulation on optokinetic asymmetries in human amblyopia. (C) 42*P*

WESTON Jane *see* BURGUN C., GREENFIELD Susan A., WAKSMAN A. & WESTON Jane Differential effects of cholinergic agonists on acetylcholinesterase release from the rat substantia nigra *in vivo*. (C) 66*P*

WHEAL H.V. *see* BROWN A.D., STOCKLEY E. & WHEAL H.V. A program to aid the investigation of the branching properties of dendrites. (D) 5*P*

WHEAL H.V. *see* LONG S.K. & WHEAL H.V. A high-resolution data-capture and analysis system applied to intracellularly recorded synaptic potentials. (D) 6*P*

WHEAL H.V. *see* BAGUST J., SPENCER P.M. & WHEAL H.V. An automated system for the analysis of evoked extracellular potentials recorded from the hippocampus. (D) 7*P*

WHEAL Howard V. *see* BLAKEMORE Colin, LARKMAN Alan, MASON Adrian & WHEAL Howard V. Application of the *in vitro* brain slice technique to the visual cortex of the rat: intracellular recording and ultrastructural analysis. (D) 21*P*

WIGHAM C.G. *see* HODSON S.A. & WIGHAM C.G. A difference between net bicarbonate flux and short circuit current across rabbit corneal endothelium. (C) 111*P*

WILLIAMS A.J. *see* GRAY M.A. & WILLIAMS A.J. Multiple conducting states in the K^+ channel of rabbit cardiac muscle sarcoplasmic reticulum (SR); effect of block by a bis quaternary ammonium compound. (PC) 183*P*

WILLIAMS R.G. *see* APPENTENG K., DONGA R. & WILLIAMS R.G. Morphological and electrophysiological determination of the projections of jaw-elevator muscle spindle afferents in rats. 93

WILLIAMS S.R. *see* COX I.J., GADIAN D.G., GARDINER R.M., PROCTOR E. & WILLIAMS S.R. Measurement of brain histidine *in vivo* by 1H-NMR spectroscopy in the mutant histidinaemic mouse. (C) 65*P*

WILLIAMS T.D.M. *see* LIGHTMAN S.L., SECKL J.R. & WILLIAMS T.D.M. Oral hypertonic saline causes a transient fall in plasma vasopressin in man. (PC) 189*P*

WILSON M.G.A. *see* ELZINGA G., HOWARTH J.V., WILSON M.G.A. & WOLEDGE R.C. A comparison of the heat produced in two successive tetani of isolated fibres from frog tibialis anterior muscle near 0 °C. (C) 71*P*

WILTON Susanne *see* CUNNINGHAM V.J., HARGREAVES R.J., MOORHOUSE S.R., PELLING D. & WILTON Susanne Kinetics of glucose transport at regional level in the CNS of the anaesthetized rat. (PC) 176*P*

WINGATE D.L. *see* BROOKES S.J.H., EWART W.R. & WINGATE D.L. Intracellular recordings from the rat myenteric plexus *in vitro*. (C) 109*P*

WINLOW W. *see* GIRDLESTONE D., MCCROHAN C.R. & WINLOW W. Effects of halothane on the giant serotonin-containing cerebral neurones of *Lymnaea*. (C) 56*P*

WINLOW W. *see* CASEY Claire & WINLOW W. Cellular localization of serotonin by glyoxylic acid condensation in *Lymnaea*. (PC) 169*P*

WOLEDGE R.C. *see* ELZINGA G., HOWARTH J.V., WILSON M.G.A. & WOLEDGE R.C. A comparison of the heat produced in two successive tetani of isolated fibres from frog tibialis anterior muscle near 0 °C. (C) 71*P*

WOOD L. *see* BAXENDALE R.H., FERRELL W.R. & WOOD L. Intra-articular pressures during active and passive movement of normal and distended human knee joints. (PC) 179*P*

WOOD L.M. *see* GILBEY M.P., JORDAN D., NUMAO Y., SPYER K.M. & WOOD L.M. Respiratory modulation of cervical sympathetic preganglionic neurones in the anaesthetized rat. (C) 145*P*

WOOLF C.J. *see* WALL P.D. & WOOLF C.J. Noxious stimulus-evoked increases in the excitability of the flexor reflex in the decerebrate-spinal rat. (C) 28*P*

WRAY D. *see* LANG B., NEWSOM-DAVIS J. & WRAY D. Effect of Lambert-Eaton myasthenic syndrome antibody on mouse ventricular muscle. (C) 94*P*

WRIGHT D.M. *see* CLARKE G. & WRIGHT D.M. Effect of 5-hydroxytryptamine on oxytocin release in anaesthetized lactating rats. (C) 128*P*

YADA Toshihiko *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Early events in development of electrical activity and contraction in embryonic rat heart assessed by optical recording. 209

YAMADA Toshiya *see* KUDO Norio & YAMADA Toshiya Development of the monosynaptic stretch reflex in the rat: an *in vitro* study. 127

YOUNG J.D. *see* ELLORY J.C., FINCHAM D.A. & YOUNG J.D. Kinetic and radiation inactivation studies of amino acid transport in erythrocytes from Przewalski's horse. (C) 154*P*

ZEKI S. *see* SHIPP S. & ZEKI S. Segregated output to area V5 from layer 4B of macaque monkey striate cortex. (C) 32*P*

ZOPPI S. *see* ESPOSITO G., FAELLI A., LINDI C., MARCIANI P. & ZOPPI S. The influence of age on D-glucose transport in rat jejunum. (C) 151*P*

ZUCKER Irving H. *see* NIEBAUER Mark & ZUCKER Irving H. Static and dynamic responses of carotid sinus baroreceptors in dogs with chronic volume overload. 295

ZUMBROICH Thomas J. *see* BLAKEMORE Colin & ZUMBROICH Thomas J. Spatial frequency selectivity in the lateral suprasylvian areas (PMLS/PLLS) of the cat visual cortex. (C) 40*P*